


U.S. ARMY TANK-AUTOMOTIVE AND ARMAMENTS COMMAND



COOPERATIVE TIRE QUALIFICATION PROGRAM (CTQP) COOPERATIVE APPROVED TIRE LIST (CATL)

CATL-1922, June 2003 FOR US GOVERNMENT PURCHASE OF:

**Non-Military: New & Retread Passenger Car Tires, Pursuit and
Emergency High Speed Tires, Light Truck Tires, Truck/Bus Tires, & Off
Road Severe Application Tires (ORSA)**

**Military: Retread Light, Medium and Heavy Tactical Truck and Trailer
Tires**

This CATL-1922, dated June 2003, replaces previous version CATL-1922, dated June 2002 and all other previous versions.

As prepared by the CTQP administrator: Associated Consultants of Technical Services (ACTS) Inc.



COOPERATIVE APPROVED TIRE LIST (CATL)
OF
PRODUCTS QUALIFIED UNDER ASTM STANDARD F1922
AND SAE J2014 (FOR MILITARY RETREADS)
AND ADMINISTRATIVE MANUAL CTQP-AM-1922
FOR
TIRES, PNEUMATIC, VEHICULAR (HIGHWAY AND SPECIAL APPLICATIONS)
(NEW AND RETREADED)

This approved tire list has been prepared by the Associated Consultants of Technical Services (ACTS) Inc. for the U.S. Army Tank Automotive and Armaments Command (TACOM). It is prepared for Group 1, passenger car tires, Group 2, light truck tires, Group 3, medium and heavy truck/bus tires, Special Application tires and Military retread tires (see Chapter II.B for explanations of each group). Tires listed in this CATL have been tested and/or approved for procurement by U.S. Federal, State and Local Government agencies. This list is based on the results of Qualification Testing as prescribed in ASTM standard F1922 and accompanying Administrative Manual CTQP-AM-1922, or SAE J2014 for military retread tires, issue in effect at qualification test run. This list is subject to change without notice and revisions or amendments will be issued as necessary. The inclusion of tires on this list does not release the supplier from compliance with the specification requirements for tires supplied to the government.

The activities responsible for this Approved Tire List are the Associated Consultants of Technical Services Inc., CTQP/CATL Administrator, 54527 Joseph Ronald Drive, Macomb Township, MI 48042, phone (586) 677-5745 and the sponsoring organization the U.S. Army, Tank-Automotive and Armaments Command, Team Tire, AMSTA-LC-CJT, Warren, MI 48397-5000.

The Cooperative Tire Qualification Program (CTQP) is a voluntary program designed to help ensure tire quality and performance for Government agencies. There is no legal requirement or national government policy mandate for government agencies to use the CTQP or this CATL list when purchasing tires.

NOTES:

1. Since all tires produced by a particular manufacturer were not offered for testing, the omission of any tire from this CATL does not necessarily mean that the unlisted tire is either unsafe or inferior in quality.

2. Since qualification testing is done on a continuing basis, tires qualified for listing after printing of this CATL may exist. The manufacturers of those tires have been provided a Qualification Certification Form (QCF) issued by the CATL administrator. The QCF shall serve as proof of qualification until new printing of the CATL is released listing the particular tire(s). Government agencies may verify the manufacturers QCF by contacting the Administrator, Cooperative Tire Qualification Program (CTQP) or a CTQP representative at the address/phone number shown above.

3. All sizes and ply ratings for the tires models/brands shown in this CATL are acceptable with the exceptions of the Group 1, Pursuit and Emergency High Speed and Military Tactical retreads, which are qualified by size, brand designation, and/or vehicle application/mission.

4. For more information on how to use the CATL when purchasing tires refer to Chapter III, "Using the CATL when Purchasing Tires." Manufacturers may obtain more information on how to become approved by contacting the CTQP Administrator.

5. With the exception of Pursuit and Emergency High Speed tires, tires tested in the CTQP program and listed as qualified in this CATL were tested for treadlife durability only and qualified at speeds of not more than 65 miles per hour for Passenger Car and Light Truck tires and not more than 55 miles per hour for Truck & Bus tires. CATL treadlife testing and qualification as listed does not certify or verify a specific tires ability to perform at higher rates of speed. For speed capabilities of tires refer to the manufacturers own recommendations and speed ratings as required by Federal Motor Vehicle Safety Standards.

TABLE OF CONTENTS

	<u>PAGE</u>
CHAPTER I – INTRODUCTION AND STANDARDS	6
I.A. INTRODUCTION.....	6
I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?.....	6
I.C. STANDARDS USED	7
CHART OF NAMES & STANDARDS.....	8
CHAPTER II - CATL FORMAT, CODES & DEFINITIONS.....	9
II.A. FORMAT.....	9
II.B. TIRE GROUP DEFINITIONS.....	9
II.C. GOVERNMENT ITEM NUMBER DEFINITIONS.....	10
II.D. CODE DEFINITIONS.....	12
II.E. SPEED CATEGORY CODES	13
II.F. TREAD “CLASS” DEFINITIONS	13
“SAMPLE” CATL SECTION WITH DEFINITIONS”	15
CHAPTER III - USING THE CATL WHEN PURCHASING TIRES	16
CHAPTER IV CATL-1922 LISTING OF APPROVED TIRE BRANDS	18
GROUP 1, PASSENGER CAR: NEW TIRES	19
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS.....	19
CONTINENTAL GENERAL TIRE INCORPORATED.....	20
COOPER TIRE & RUBBER COMPANY.....	20
AVON TYRES BRANDS (MANUFACTURED BY COOPER):	20
DEAN BRANDS (MANUFACTURED BY COOPER):	20
DEL-NAT TIRE CORPORATION (MANUFACTURED BY COOPER)	21
DOMINATOR BRANDS (MANUFACTURED BY COOPER):	21
HERCULES TIRE & RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER).....	21
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):.....	21
PEP BOYS BRANDS (MANUFACTURED BY COOPER):	21
PARRISH BRANDS (MANUFACTURED BY COOPER):.....	21
ROADMASTER BRANDS (MANUFACTURED BY COOPER):	22
STARFIRE BRANDS (MANUFACTURED BY COOPER):.....	22
TBC INCORPORATED BRANDS (MANUFACTURED BY COOPER):	22
THE GOODYEAR TIRE & RUBBER COMPANY.....	23
GOODYEAR BRANDS:	23
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):	24
KELLY-SPRINGFIELD, CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):.....	25
KELLY-HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):.....	25
KELLY-JETZON/TELSTAR BRANDS (MANUFACTURED BY GOODYEAR):.....	25
KELLY-LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):.....	25
KELLY-SPARTAN BRANDS, (MANUFACTURED BY GOODYEAR):.....	25
KELLY-SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):.....	26
KELLY-TOW-MASTER BRANDS, (MANUFACTURED BY GOODYEAR):	26
KELLY-VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):	26
KELLY-WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):	26
MICHELIN NORTH AMERICA.....	27
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):.....	27
MICHELIN BRANDS:	27
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	28
GROUP 1, PURSUIT & EMERGENCY HIGH SPEED.....	29
BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS.....	29
BRIDGESTONE BRANDS:.....	29
FIRESTONE BRANDS:.....	29

TABLE OF CONTENTS

	<u>PAGE</u>
<i>CONTINENTAL GENERAL TIRE INCORPORATED</i>	29
GENERAL BRANDS:.....	29
<i>COOPER TIRE & RUBBER COMPANY</i>	32
COOPER BRANDS:.....	32
ELDORADO BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	32
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	32
PEP BOYS BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	32
TBC INC. BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):	32
<i>DUNLOP TIRE CORPORATION</i>	33
<i>THE GOODYEAR TIRE & RUBBER COMPANY</i>	33
<i>KELLY-SPRINGFIELD TIRE COMPANY</i>	34
<i>MICHELIN NORTH AMERICA</i>	34
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):.....	34
MICHELIN BRANDS:.....	35
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):	35
<i>YOKOHAMA TIRE CORPORATION</i>	35
GROUP 2, LIGHT TRUCK: NEW TIRES	36
<i>BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED</i>	36
BRIDGESTONE BRANDS:.....	36
FIRESTONE BRANDS:.....	36
<i>CONTINENTAL GENERAL BRANDS</i>	36
CONTINENTAL BRANDS:	36
GENERAL BRANDS:.....	36
<i>COOPER TIRE & RUBBER COMPANY</i>	37
AVON TYRES BRANDS (MANUFACTURED BY COOPER):	37
COOPER BRANDS:.....	37
DEAN BRANDS (MANUFACTURED BY COOPER):	37
DEL-NAT TIRE BRANDS (MANUFACTURED BY COOPER):	37
DOMINATOR BRANDS (MANUFACTURED BY COOPER):	37
ELDORADO TIRE BRANDS (MANUFACTURED BY COOPER):.....	37
HERCULES TIRE & RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER):.....	37
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):.....	37
MENTOR BRANDS (MANUFACTURED BY COOPER):.....	38
PARRISH BRANDS (MANUFACTURED BY COOPER):.....	38
PEP BOYS BRANDS (MANUFACTURED BY COOPER):	38
ROADMASTER BRANDS (MANUFACTURED BY COOPER):	38
STARFIRE BRANDS (MANUFACTURED BY COOPER):.....	38
TBC CORPORATION BRANDS (MANUFACTURED BY COOPER):.....	38
<i>COOPER TIRE & RUBBER COMPANY (STEEL/STEEL CONST.)</i>	38
COOPER BRANDS:.....	38
GIANT BRANDS (MANUFACTURED BY COOPER):	38
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):.....	39
<i>THE GOODYEAR TIRE & RUBBER COMPANY</i>	39
GOODYEAR BRANDS (POLYESTER/STEEL CONSTRUCTION):	39
GOODYEAR BRANDS (STEEL/STEEL CONSTRUCTION):.....	Error! Bookmark not defined.
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):	39
KELLY - LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):.....	39
KELLY - SPARTAN BRANDS, RELIABLE , (MANUFACTURED BY GOODYEAR):.....	39
KELLY - SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):.....	39
KELLY - VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):	39
KELLY - WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):	39
KELLY - TBC CORPORATION BRANDS, (MANUFACTURED BY GOODYEAR):.....	39

TABLE OF CONTENTS

	<u>PAGE</u>
KELLY - CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):.....	39
KELLY - HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):.....	40
KELLY - JETZON/TELSTAR BRANDS, (MANUFACTURED BY GOODYEAR):.....	40
<i>MICHELIN NORTH AMERICA</i>	40
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):.....	40
MICHELIN BRANDS:.....	40
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):.....	40
<i>SPECIALTY TIRES OF AMERICA INCORPORATED</i>	41
<i>TITAN TIRE CORPORATION</i>	41
TITAN BRANDS:.....	41
GROUP 2, LIGHT TRUCK: RETREAD TIRES	41
<i>BANDAG INCORPORATED</i>	41
<i>BANDAMATIC SYSTEM INCORPORATED</i>	41
<i>THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION</i>	42
<i>MICHELIN NORTH AMERICA, INC., RETREAD PROCESS</i>	42
MICHELIN PRECURE RETREAD METHOD:.....	42
MICHELIN MOLD-CURE RETREAD METHOD:.....	42
<i>OLIVER RUBBER COMPANY</i>	43
GROUP 2, LIGHT TRUCK: PURSUIT & EMERGENCY HIGH SPEED TIRES	43
<i>DUNLOP TIRE CORPORATION</i>	43
GROUP 3, TRUCK & BUS: NEW TIRES	44
<i>BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED</i>	44
BRIDGESTONE RADIAL BRANDS:.....	44
FIRESTONE RADIAL BRANDS:.....	44
FIRESTONE BIAS BRANDS:.....	44
<i>CONTINENTAL GENERAL BRANDS</i>	45
GENERAL BRANDS:.....	45
CONTINENTAL BRANDS:.....	45
<i>COOPER TIRE & RUBBER COMPANY</i>	46
COOPER RADIAL BRANDS:.....	46
GIANT RADIAL BRANDS (MANUFACTURED BY COOPER):.....	46
MASTERCRAFT RADIAL BRANDS (MANUFACTURED BY COOPER):.....	46
<i>THE GOODYEAR TIRE & RUBBER COMPANY</i>	46
<i>KELLY-SPRINGFIELD BRANDS</i>	47
<i>MICHELIN NORTH AMERICA</i>	47
BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):.....	47
MICHELIN BRANDS:.....	48
<i>SPECIALTY TIRES OF AMERICA INCORPORATED</i>	48
<i>YOKOHAMA TIRE CORPORATION</i>	49
GROUP 3, TRUCK & BUS: RETREAD TIRES	49
<i>BANDAG INCORPORATED</i>	49
BANDAG PRECURE RETREAD METHOD:.....	49
<i>BANDAMATIC SYSTEM INCORPORATED</i>	50
BANDAMATIC SYSTEM, PRECURE RETREAD METHOD:.....	50
<i>THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION</i>	51
GOODYEAR PRECURE RETREAD METHOD:.....	51
GOODYEAR ULTIMA PRECURE RETREAD METHOD:.....	51
<i>MICHELIN NORTH AMERICA, INC., RETREAD PROCESS</i>	52
MICHELIN PRECURE RETREAD METHOD:.....	52
MICHELIN MOLD-CURE RETREAD METHOD:.....	52
<i>OLIVER RUBBER COMPANY</i>	53
OLIVER PRECURE RETREAD METHOD:.....	53
OLIVER MOLD CURE RETREAD METHOD:.....	53
<i>TEKNOR APEX</i>	54

TABLE OF CONTENTS

	<u>PAGE</u>
TEKNOR APEX PRECURE RETREAD METHOD:.....	54
SPECIAL APPLICATION TIRES: LIGHT TRUCK, OFF ROAD SEVERE APPLICATION (ORSA)	
.....	55
<i>BRIDGESTONE/FIRESTONE (USA) INCORPORATED</i>	55
<i>CONTINENTAL GENERAL TIRE INCORPORATED</i>	55
<i>THE COOPER TIRE AND RUBBER COMPANY</i>	55
<i>THE GOODYEAR TIRE & RUBBER COMPANY</i>	55
MILITARY TACTICAL RETREAD TIRES	56
<i>LIGHT TRUCK, TACTICAL RETREAD TIRES</i>	56
HMMWV, BIAS TIRE, NSN 2610-01-171-4647.....	56
<i>TRUCK/TRAILER, TACTICAL RETREAD TIRES</i>	56
HEMMT, RADIAL TIRE, NSN 2610-01-126-1576.....	56
M915A2 TRUCK TIRE, RADIAL, NSN 2610-01-045-3688.....	56
M870 TRAILER TIRE, RADIAL, NSN 2610-01-325-1934.....	57
M916A1 TRUCK TIRE, RADIAL, NSN 2610-01-311-6853.....	57
M872 TRAILER TIRE, BIAS, NSN 2610-00-060-9960.....	57
APPENDIX A: CATL NUMBERS, ADDRESSES & TELEPHONE NUMBERS	58
<i>ASSIGNED CATL NUMBERS</i>	58
<i>ADDRESSES & TELEPHONE NUMBERS</i>	59

CHAPTER I – INTRODUCTION AND STANDARDS

I.A. INTRODUCTION

1. On the surface the CTQP program and CATL 1922 appear to be difficult to use. But using the CTQP program and CATL when making tire purchases can be easier if you understand what the CTQP and CATL are, how the CATL is formatted, and what the various codes in the CATL signify.

2. These instructions are designed to explain how to use the CTQP program and this CATL list when purchasing tires.

3. Because specific agency procurement guidelines dictate the methods in which government agencies procure tires the recommendations provided in this CATL are only suggestions on how you may use the CATL. When purchasing tires your specific procurement guidelines or rules always takes precedence.

I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST?

1. Before using the CATL and CTQP to make tire purchases, the government buyer should understand what the CATL and CTQP are. The following paragraphs help explain them.

2. What exactly is the CTQP program? Technically the letters “CTQP” is an acronym, which stands for “Cooperative Tire Qualification Program.” But in simple terms it’s a program, which was developed to replace the past Federal Tire Program.

3. For decades the Government would test and qualify tires for government purchase and tires that passed the tests were added to a list called the Qualified Products List (QPL). This list was used by many government agencies to help them make smart tire purchases. Because of streamlining and Acquisition Reform efforts, the Federal Tire Qualification Program was discontinued in January 1997 and many Federal or Military tire standards were deemed obsolete. However, because tires are usually one of the highest maintenance cost for vehicle fleets (typically only second to fuel), the U.S. Army seen a need and benefit to continue a modified program. As a result the CTQP program was developed. This new program is similar to the past program except that it is administered via contract using commercial standards. Even though the program is administered through a contractor the U.S. Army maintains the needed oversight by monitoring the contractors performance and requiring the contractor to remain independent from tire industry.

CHAPTER I – INTRODUCTION AND STANDARDS (continued)

I.B. WHAT IS THE CTQP PROGRAM AND CATL LIST? (continued)

4. *What is this CATL list? The letters “CATL” is an acronym that stands for “Cooperative Approved Tire List.” Basically the CATL is nothing more than an approved list of tires and manufacturers that have passed testing and/or technical reviews to certain standards.*

5. *This CATL document is published for Highway type tires, some special application type tires and military tactical retread tires.*

6. *Including this CATL document, there are many other elements, which make up the CTQP Program such as test standards, administrative guidelines and a Cooperative Plant Quality Certification (CPQC) program for retreaders. The CTQP also has separate standards, guidelines and a different CATL available for Low Speed, Off Highway type tires.*

I.C. STANDARDS USED

1. *To become qualified in the CTQP and listed in this CATL-1922 for highway type tires, manufacturers products must be tested to meet or exceed the following standards:*

- (a) *Passenger Car, Light Truck, Truck/Bus and Severe Application Tires: ASTM Standard F1922, Test Method for Tires Pneumatic, Vehicular, Highway.*
- (b) *Pursuit, Emergency & High Speed Tires: ASTM Standard F1922, Test Method for Tires Pneumatic, Vehicular, Highway which requires tests and certification to ECE Regulation 324 & SAE J1561, Laboratory Speed Test Procedures for Passenger Car Tires.*
- (c) *Retreads: The retread process must pass on-vehicle tests using ASTM Standard F1922 (mentioned above). In addition to testing, individual retread plants/facilities must also be inspected and certified annually, to meet the quality requirements of CTQP-441, Administrator’s Approval and Requirements Manual.*

2. *In 1998, the standards used for the CTQP program were officially approved by the American Society of Testing and Materials (ASTM). A chart showing the names and standards used for the CTQP program is shown on the next page. When referencing the CTQP program in contract solicitations use the names and standards indicated.*

CHART OF NAMES & STANDARDS

<u>NAMES & STANDARDS</u>
NAMES USED: <ul style="list-style-type: none">➤ CTQP – Cooperative Tire Qualification Program➤ CATL – Cooperative Approved Tire List➤ CPQC – Cooperative Plant Qualification Certification
STANDARDS FOR HIGHWAY TIRES <ul style="list-style-type: none">➤ ASTM Standard F1922, Test Method – for Tires, Pneumatic, Vehicular, Highway➤ CTQP-AM-1922, Administrator's Approval and Requirements Manual for Tires, Pneumatic, Vehicular, Highway➤ CATL-1922, Cooperative Approved Tire List (CATL) for Tires, Pneumatic, Vehicular Highway
TEST STANDARDS USED FOR MILITARY RETREADS: <ul style="list-style-type: none">➤ Latest Version of Society of Automotive Engineers (SAE), Surface Vehicle Recommended Practice, SAE J2014
QUALITY STANDARDS USED FOR ALL RETREADS (MILITARY & NONMILITARY): <ul style="list-style-type: none">➤ CTQP-441 for Tires, Pneumatic, Retread and Repaired. This standard is used to inspect and certify retread facilities.➤ Retread products must also pass the applicable road test using one of the test standards mentioned above.

****Notes:**

(1) ASTM Standards may be ordered from:

*American Society of Testing and Materials (ASTM)
100 Bar Harbor Drive, West Conshohocken, PA 19428-2959
PHONE: 610-832-9500*

(2) CTQP-AM and CATL Publications may be ordered from:

*Associated Consultants of Technical Services Inc. (ACTS Inc.)
54527 Joseph Ronald Drive, Macomb Township, MI 48042
PHONE: 586-677-5745 or from the CTQP web site at www.CTQP.com*

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS

II.A. FORMAT

1. *The CATL is formatted and sorted by tire group first, manufacturer or brand name owner second (alphabetically), then in sequence by assigned government item numbers and specific tire brand names. Other information listed are the qualified production points, test qualification reference numbers (identifies the specific test), qualification expiration dates, tread class and tire codes. Also in Appendix A you will find a complete list of manufacturers, retreaders or brand name owners addresses, telephone numbers and assigned CATL numbers.*

2. *This section helps explain the various groups, codes and reference numbers. As you are going through the definitions that follow, please refer to page 14 which shows a sample illustration page from a section of the CATL.*

II.B. TIRE GROUP DEFINITIONS

1. *Because there are a wide variety of tire sizes, and tire size designations, from one manufacturer to another, and tire size designations are constantly changing, most tires in this CATL list do not include the specific tire sizes. Instead, tires in this CATL are listed by group. These tire groups are based on generic vehicle applications. To properly use this CATL list to purchase replacement tires you must first determine what vehicle group your tires will be applied to.*

2. *There are three basic groups of common type tires applications and two groups of special application type tires. These groups are listed below with more detailed explanations that follow:*

(a) Group 1, Passenger Car Tires and Pursuit/Emergency High Speed Tires

(1) These tires include common passenger car tires. You can usually (but not always) identify tires of this group by looking for the letter "P" at the beginning of the tire size that is imprinted on the sidewall of the tire. An example of a tire size designation for this type of tire would be P205/75R15. Some common applications for these tires would be sedans and mini-vans.

(2) This group also includes a section for Pursuit/Emergency, High Speed Tires that are listed by specific tire size, speed rating code and brand name. Pursuit/Emergency, High Speed Tires would be applied to vehicles such as police cars, ambulances and other high speed emergency vehicles. Examples of these type of tire sizes would be P225/60R15(V) {V is the speed rating} or 225/60ZR16 {Z is the speed rating}.

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.B. TIRE GROUP DEFINITIONS (continued)

(a) Group 2, Light Truck Tires

This group is your common Light Truck tires. You can usually (but not always) identify tires of this group by looking for the letter "LT" at the beginning of the tire size that is imprinted on the sidewall of the tire. However many older tire designs of bias construction do not include an "LT" designation in the tire size. An example of a radial tire size designation for this type of tire would be LT235/85R16. An example of a bias tire size would be 7.50-16. Common applications for these tires would be Pick-Up Trucks, Sports Utility Vehicles and some Trailers.

(b) Group 3, Truck & Bus Tires

These tires include medium and heavy truck, bus and trailer tires. Unlike Passenger Car and Light Truck tires, these tires do not have a letter designation at the beginning of the tire size. Examples of a tire size designations for these type tires would be 11R22.5 {for radial} and 10.00-20 {for bias}. Some common applications for these type tires would be Buses, Semi-Trucks/Trailers, Delivery Vans, Cargo Trucks, and non-tactical Military Supply Trucks and Troop Carriers.

(c) Special Application: Off-Road, Severe Application (ORSA) Tires

These tires are Special Application, Light Truck tires, which are used in severe off-road conditions. Some vehicle applications for these tires would be Pick-Up Trucks and Sport Utility Vehicles used by the U. S. Border Patrol and U.S. Forestry Service.

(d) Special Application: Military Tactical Truck and Trailer Retread Tires

These tires are Special Application Light Truck and Medium Truck/Trailer retread tires, which are designed to be used in severe military tactical environment. Specific military vehicle applications, sizes and approved retreaders for these tires are identified in this CATL list.

II.C. GOVERNMENT ITEM NUMBER DEFINITIONS

All tires listed in this CATL have been assigned Government Item numbers. These numbers can be used to help identify a specific tire easier. More importantly, these numbers have codes that provide detailed information and an identity for each tire brand listed. An example, with explanations of each code of an assigned Government Item Number follows on the next page.

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

11.C. GOVERNMENT ITEM NUMBER DEFINITIONS (continued)

Example Government Item Number: X3.2.12RA/RB

- *The first position, “X” is the tire style. There are two styles; X which is a new tire or Y which is a retread tire. In this example this would be a new tire.*
- *The second position, “3” is the tire group. This example is a Group 3, Truck and Bus Tire. 1 is Passenger Car; 2 is Light Truck; 3 is Truck/Bus; “ORSA” is Off-Road, Severe Application; and “MIL” is Military Tactical application.*
- *The third position, “2” is the manufacturers assigned CATL number. All manufacturers are assigned CATL numbers and in this example the manufacturer of the tire would be Bridgestone/Firestone (U.S.A.) Incorporated. See the list in Appendix A, which shows all manufacturers assigned CATL numbers.*
- *The fourth position, “12” is a sequence number assigned to the specific tire brand name when it was listed. In this example this tire is the 12th Bridgestone/Firestone Inc. tire that was listed for Group 3.*
- *The fifth and six position, “RA/RB” identifies the construction of the tire and whether it is tube or tubeless. In this example the tire is of radial construction and is available as either tube or tubeless. The following explain what these style codes stand for:*
 - *RA = Radial, Tubeless.*
 - *RB = Radial, Tube Type*
 - *BA = Bias, Tubeless.*
 - *BB = Bias, Tube Type*
 - *RA/RB = Radial, Tubeless or Tube Type*
 - *BA/BB = Bias, Tubeless or Tube Type*

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.D. CODE DEFINITIONS

The CATL shows a column of additional codes assigned to each tire listed. These codes provide more details about the tire construction, usage information and vehicle/axle applications. Explanation of these codes follow:

CODES

- AP = All Position (NOTE: Some o/o tires are designated by the manufacturer as All Position. Before placing o/o tire designated "DA" on the steer position, consult the tire manufacturer).*
- DA = Drive Axle only (NOTE: When this code is used in the Light Truck tire area, keep in mind that if you are placing these tires on a 4X4, "DA" does not mean that they can be placed on all axle positions).*
- LP = Low Profile*
- EHS= Emergency High Speed*
- PS = Polyester/Steel construction (Body Cord/Belt Cord)*
- PSA = Polyester/Steel/Arimid construction*
- PSN = Polyester/Steel/Nylon construction (Body Cord/Belt Cord/Breakers)*
- N = Nylon construction (Body Cord)*
- ND = Non Directional Tread (usually military design)*
- NRFSR = Not Recommended for Secondary Roads*
- SR = Speed Rating (see next page for speed code definitions)*
- SS = Steel/Steel construction (Body Cord/Belt Cord)*
- STC = Snow Traction Capability*
- TO = Trailers Only position*

CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)

II.E. SPEED CATEGORY CODES

In addition to the normal tire codes, Pursuit and Emergency, High Speed Tires also have a Speed Category Code Assigned to them which tells the speed rating of the tires. Explanation of these codes follow:

<u>SPEED SYMBOL</u>	<u>SPEED CATEGORY</u>
S	112 MPH (180 KM/H)
T	118 MPH (190 KM/H)
U	124 MPH (200 KM/H)
H	130 MPH (210 KM/H)
V	149 MPH (240 KM/H)
W	168 MPH (270 KM/H)
Y	186 MPH (300 KM/H)
Z	See note below.

NOTES:

- *Speed category codes are assigned to a tire and denotes the maximum speed for which the use of the tire is rated (all EHS or PEHS coded tires are speed rated).*
- *Open ended speed category “Z”: For tires having a maximum speed capability above 149 MPH, a “Z” may appear in the size designation. For tires having a maximum speed capability above 186 MPH, a “ZR” must appear in the size designation. Consult the tire manufacturer for maximum speed capability of the particular tire when there is no service description.*

II.F. TREAD “CLASS” DEFINITIONS

The CATL also shows a column of tread class codes assigned to each tire listed. These tread class codes provide details about the tread design and how the tire should be used based on its tread design. Explanations of these tread class codes are on the next page. For more detailed tread class descriptions please refer to ASTM Standard F1922 and Administrator Manual CTQP-AM 1922.

***CHAPTER II - CATL FORMAT, CODES & DEFINITIONS (continued)**


II.F. TREAD "CLASS" DEFINITIONS (continued)

CLASS

<i>R/T</i>	=	<i>RIB TREAD</i>
<i>A/S</i>	=	<i>ALL SEASON (applies to Passenger Car and Light Truck tires only)</i>
<i>S/T</i>	=	<i>SNOW TREAD (see note below)</i>
<i>A/T</i>	=	<i>ALL TERRAIN</i>
<i>O/O</i>	=	<i>ON/OFF ROAD</i>
<i>D/A</i>	=	<i>DRIVE AXLE HIGHWAY TRACTION TREAD</i>
<i>T/O</i>	=	<i>TRAILERS ONLY</i>
<i>A/T/S</i>	=	<i>ALL TERRAIN SEVERE APPLICATION</i>
<i>O/O/S</i>	=	<i>ON/OFF ROAD SEVERE APPLICATION</i>
<i>M/S</i>	=	<i>MUD AND SNOW (applies to Passenger Car and Light Truck tires only)</i>


NOTE: To help describe the tire tread better, some tires may be identified further with a "(rib)" or "(lug)" designation next to the tread code.

NOTE: Some newer tires are designed for use in severe snow conditions and are marked on at least one sidewall with the letters "M" and "S" (e.g., MS, M/S, M&S, M+S, etc.) plus have a pictograph of a mountain with a snowflake. If you need more information on tires designed for severe snow conditions contact the CTQP Administrator (at (810) 677-5745) or refer to Rubber Manufacturers Association, Tire Information Service Bulletin, Volume 37, Number 2, February 1999 and titled "RMA Definition for Passenger and Light Truck Tires for Use in Severe Snow Conditions." An example of the mountain/snowflake is shown below.



"SAMPLE" CATL SECTION WITH DEFINITIONS"

NOTE: Each section is lettered and an explanation is provided for each letter.



SAMPLE CATL PAGE DEFINITIONS

- A. This is the tire group. In this instance, this section list Group 1, Passenger Car Tires
See pages 8 & 9 for detailed group definitions.
- B. This is the name of the tire manufacturer, retreader or brand owner of all the tires listed below it.
- C. The first bullet tells what facilities may produce the tires. The second bullet is a qualification test reference number that the tires were qualified with and the third bullet indicates when the qualification for tires listed below it will expire.
- D. This is the Government Item Number: This is a number assigned to each tire once they are qualified. See pages 9 & 10 for a breakdown of what this number means.
- E. These are the brand designations or names that the manufacturer has given the tires.
- F. This is the tread class code. Refer to pages 12 & 13 for definitions of these codes.
- G. This is the tire code which tells the tire construction and where and how the tire may be used. Refer to page 11 for definitions of these codes.

CHAPTER III - USING THE CATL WHEN PURCHASING TIRES

Your specific procurement guidelines will dictate the specific contract language you use when purchasing tires. However the following is a step-by-step example of how you may use the CATL when purchasing tires.

STEP 1, IDENTIFY WHAT YOU NEED: *Identify the tire group you need to buy by looking at your vehicle applications and the tires you currently have. Provide a good description of the type and size for the tires you want to purchase in your contract solicitations. It's also recommended that you identify vehicle application info in your contracts when possible, as most manufacturers will match an appropriate tire for the application. When using the CATL to make purchases, make sure you identify the tire group, codes and tread classes. For example if you were purchasing replacement tires for a fleet of 1997 Ford Explorer Vehicles, that were originally equipped with radial, LT235/85R16 tire size, Load Range D, All Season, Rib type tread you could use the following description:*

EXAMPLE: Radial, LT235/85R16, Load Range D, for application on 1997, All Wheel Drive, Ford Explorer. Tires should be Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by the latest version of CATL 1922.

STEP 2, REQUIRE CATL QUALIFICATION: *Require in your contract solicitation that the prospective tire manufacturer or supplier be CATL qualified and that the tire brand be listed in the CATL or that the manufacturer/supplier provide proof of CATL qualification with a Qualification Certification Form (these forms are issued to all manufacturers upon successful completion of qualification testing). Example language you could use is as follows:*

EXAMPLE: Prospective contractors and their tire brands submitted under this solicitation must be qualified and listed in CATL 1922, or provide a Qualification Certification Form signed by the CATL program Administrator.

STEP 3, PUT IT ALL TOGETHER: *A complete example of contract language for purchasing new tires could be as follows:*

EXAMPLE: Tires are to be radial, LT235/85R16, Load Range D, for application on 1997 All Wheel Drive Ford Explorer. Tires should be Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by CATL 1922. The prospective contractor(s) and their tire brand(s) submitted under this solicitation must be qualified and listed in CATL 1922, or provide a Qualification Certification Form signed by the CATL program Administrator.

CHAPTER III - USING THE CATL WHEN PURCHASING TIRES (continued)

STEP 4, FOR RETREADS: *For the obvious environmental and cost advantages, it's suggested that retreads be used to the maximum extent possible. Retread processes are also tested and listed in the CATL. However because quality may vary from one retread facility or franchise to another, each retread facility is also required to be inspected and certified annually to certain quality control standards (CTQP-441). Therefore the retreaders' process should not only be listed in the CATL but also the specific retread plant/facility should be able to provide a Cooperative Plant Quality Certification (CPQC).*

A complete example of contract language for purchasing retread services could be as follows:

EXAMPLE: Retread services for radial, LT235/85R16, Load Range D, for application on 1997 All Wheel Drive Ford Explorer. Tires will be retreaded for Group 2, Light Truck tires, All Season, Rib Tread class, and All Position as defined by the latest version of CATL 1922. The prospective retread contractor process brand name(s) must be qualified and listed in CATL 1922, or the retreader may supply a Qualification Certification Form signed by the CATL program Administrator. Prospective retread contractors must also provide a current copy of a Cooperative Plant Quality Certification (CPQC) which certifies compliance with CTQP-441 for any and all retread facilities or plants, which will provide retread services under this contract.

STEP 5, VERIFY QUALIFICATIONS AND AWARD THE CONTRACT: *Verify the contractor(s) and tire(s) qualifications by checking what is proposed to the CATL list. For retreaders make sure they also supply a copy of CPQC facility certification. If everything is in order award the contract.*

CHAPTER IV CATL-1922 LISTING OF APPROVED TIRE BRANDS

Refer to Appendix A for a complete list of manufacturers, retreaders and brand name owners addresses, telephone numbers and manufacturers assigned CATL numbers.

GROUP 1, PASSENGER CAR: NEW TIRES

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS

- TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-051
- QUALIFICATION EXPIRATION DATE: 28 OCTOBER, 2006
- QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES

GOVERNMENT	MODEL/BRAND	CLASS	CODES
ITEM NO.	DESIGNATION	CLASS	CODES

BRIDGESTONE BRANDS:

X1.2.2	"S402"	a/s	AP, PS
X1.2.3	"BLIZZAK WS-15"	s/t	AP, PS
X1.2.5	"S375"	r/t	AP/ PS
X1.2.6	"POTENZA RE900"	a/s	AP, PS
X1.2.7	"POTENZA S-02"	r/t	AP, PS
X1.2.8	"POTENZA RE71"	r/t	AP, PS
X1.2.9	"POTENZA RE940"	a/s	AP, PS
X1.2.10	"POTENZA RE930"	a/s	AP, PS
X1.2.11	"POTENZA RE 92"	a/s	AP, PS
X1.2.12	"POTENZA HP 41"	a/s	AP, PS
X1.2.13	"EAGER"	a/s	AP, PS
X1.2.14	"TURANZA Z"	a/s	AP, PS
X1.2.15	"TURANZA V"	a/s	AP, PS
X1.2.16	"TURANZA H"	a/s	AP, PS
X1.2.17	"TURANZA T"	a/s	AP, PS
X1.2.18	"TURANZA ER30"	r/t	AP, PS
X1.2.19	"TURANZA EL40"	a/s	AP, PS
X1.2.20	"TURANZA EL41"	r/t	AP, PS
X1.2.21	"TURANZA EL42"	r/t	AP, PS
X1.2.22	"401V"	r/t	AP, PS
X1.2.23	"S405"	a/s	AP, PS
X1.2.24	"S406"	a/s	AP, PS
X1.2.25	"S408"	a/s	AP, PS
X1.2.26	"S409"	a/s	AP, PS
X1.2.27	"S411"	a/s	AP, PS
X1.2.28	"S413Z"	a/s	AP, PS
X1.2.41	"BT70S"	a/s	AP, PS
X1.2.44	"INSIGNIA"	a/s	AP, PS

FIRESTONE BRANDS:

X1.2.11	"FR480"	a/s	AP, PS
X1.2.12	"SUPREME"	a/s	AP, PS
X1.2.14	"FR721"	r/t	AP, PS
X1.2.15	"FR480"	a/s	AP, PS
X1.2.16	"FR440"	a/s	AP, PS
X1.2.17	"FR680"	a/s	AP, PS
X1.2.18	"FR360"	a/s	AP, PS
X1.2.19	"FIREHAWK FTX"	a/s	AP, PS
X1.2.21	"FR22"	a/s	AP, PS
X1.2.22	"F-560"	s/t	AP, PS
X1.2.24	"FIREHAWK GTA"	a/s	AP, PS
X1.2.29	"AFFINITY"	a/s	AP, PS
X1.2.30	"FIREHAWK SS10"	a/s	AP, PS
X1.2.31	"FIREHAWK TOURING LH"	a/s	AP, PS
X1.2.32	FIREHAWK SZ50	r/t	AP, PS
X1.2.33	FIREHAWK SVX	r/t	AP, PS
X1.2.34	FR410	a/s	AP, PS
X1.2.35	F570	a/s	AP, PS
X1.2.36	WINTER FIRE	a/s	AP, PS
X1.2.37	FT70C	a/s	AP, PS
X1.2.38	FIREHAWK SH30	a/s	AP, PS
X1.2.39	SUPREME Si	a/s,r/t,m/s	AP, PS
X1.2.42	FR380	a/s,r/t,m/s	AP, PS
X1.2.43	"AFFINITY LH30"	a/s	AP, PS

GROUP 1, PASSENGER CAR TIRES (continued)

CONTINENTAL GENERAL TIRE INCORPORATED

- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-021
- ◆ QUALIFICATION EXPIRATION DATE: 8 SEPTEMBER, 2003
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL/GENERAL TIRE MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
GENERAL BRANDS:			
X1.5.20	"XP 2000 GT"	a/s (rib)	PS, AP
X1.5.21	"AMERI*TOUR GT"	a/s (rib)	PS, AP
X1.5.22	"AMERI*GS60"	a/s (rib)	PS, AP
X1.5.23	"AMERI G4S"	a/s, m/s (rib)	PS, AP

COOPER TIRE & RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-053
- ◆ QUALIFICATION EXPIRATION DATE: 27 JANUARY, 2007

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
AVON TYRES BRANDS (MANUFACTURED BY COOPER):			
X1.3.42	"CR448"	a/s	AP, PS
X1.3.43	"RANGER A-T"	a/s, a/t	AP, PS
X1.3.44	"RANGER TSE"	a/s	AP, PS
COOPER BRANDS:			
X1.3.5	"DISCOVERER RADIAL"	a/s, a/t	AP, PS
X1.3.7	"DISCOVERER RADIAL STT"	a/t	AP, PS, STC
X1.3.18	"LIFELINER CLASSIC II"	a/s	AP, PS
X1.3.20	"COBRA RADIAL G/T"	a/s	AP, PS
X1.3.21	"WEATHER MASTER XGR (STUDLESS)"	s/t	AP, PS, STC
X1.3.36	"LIFLINER STE"	a/s	AP, PS
X1.3.37	"DISCOVERER A/T"	a/s, a/t	AP, PS
X1.3.38	"DISCOVERER H/T"	a/s	AP, PS
X1.3.97	"LIFELINER TOURING SLE"	a/s	AP, PS
X1.3.98	"DISCOVERER AST II"	a/s	AP, PS
X1.3.99	"DISCOVERER S/T"	a/s, a/t	AP, PS
X1.3.100	"DISCOVERER M+S"	s/t	AP, PS, STC
X1.3.101	"WEATHERMASTER S/T2"	s/t	AP, PS, STC
X1.3.102	"WEATHERMASTER Si02"	s/t	AP, PS, STC
DEAN BRANDS (MANUFACTURED BY COOPER):			
X1.3.45	"EQUUS LSi"	a/s	AP, PS
X1.3.46	"WILDCAT TOURING SLT"	a/s	AP, PS
X1.3.47	"WILDCAT ALL TERRAIN"	a/s, a/t	AP, PS
X1.3.48	"STINGER RADIAL GTS"	a/s	AP, PS
X1.3.49	"TRAILCAT ALL SEASON"	a/s	AP, PS
X1.3.50	"WILDCAT EXT STEEL RADIAL"	a/t	AP, PS, STC
X1.3.51	"WILDCAT RADIAL A/T"	a/s	AP, PS
X1.3.52	"QUASAR PLUS"	a/s	AP, PS
X1.3.103	"WINTERCAT RADIAL SST"	s/t	AP, PS, STC
DEL-NAT TIRE CORPORATION (MANUFACTURED BY COOPER)			
X1.26.1	"DELTA VISTA RADIAL"	a/s	AP, PS
X1.26.1	"DELTA VISTA RADIAL"	a/s	AP, PS
X1.26.2	"AKURET SPORT WW"	a/s	AP, PS
X1.26.3	"AKURET-GRIP PLUS"	s/t	AP, PS, STC
X1.26.4	"NATIONAL XT 5000"	a/s	AP, PS
X1.26.5	"DELTA GT ROAD MAX"	a/s	AP, PS
X1.26.6	"NATIONAL XT RENEGADE"	a/s	AP, PS
X1.26.7	"CHAPARRAL A/P"	a/s, a/t	AP, PS
X1.26.8	"DELTA SENTINEL"	a/s	AP, PS
X1.26.9	"NATIONAL ANTHEM"	a/s	AP, PS
X1.26.10	"DELTA SIERRADIAL"	a/s	AP, PS
X1.26.11	"NATIONAL COMMANDO A/T"	a/s	AP, PS

GROUP 1, PASSENGER CAR TIRES (continued)

COOPER TIRE & RUBBER COMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-053
- ◆ QUALIFICATION EXPIRATION DATE: 27 JANUARY, 2007

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
DOMINATOR BRANDS (MANUFACTURED BY COOPER):			
X1.3.112	"VISION GTS"	a/s	AP, PS
X1.3.113	"LEGEND TR"	a/s	AP, PS
X1.3.114	"RADIAL ZR1"	a/s	AP, PS
X1.3.115	"ZTR SPORT SUV"	a/s, a/t	AP, PS
X1.3.116	"ZR4"	a/s, a/t	AP, PS
HERCULES TIRE & RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER)			
X1.3.76	"HP 4000 "	a/s	AP, PS
X1.3.77	"MERIT XR6000 RADIAL G/T"	a/s	AP, PS
X1.3.78	"ULTRA PLUS IV"	a/s	AP, PS
X1.3.79	"TERRA TRAC"	a/s, a/t	AP, PS
X1.3.80	"ULTRA TOURING TR"	a/s	AP, PS
X1.3.81	"MERIT MYSTIC TOURING TR"	a/s	AP, PS
X1.3.82	"MERIT TOURING SE"	a/s	AP, PS
X1.3.83	"TERRA TRAC TOURING LTD"	a/s	AP, PS
X1.3.84	"MERIT ALL COUNTRY TOURING AWT"	a/s, a/t	AP, PS
X1.3.85	"POLAR TRAX STEEL BELTED RADIAL M/S"	st	AP, PS, STC
X1.3.86	"SIGNET WINTER TRAX"	s/t	AP, PS, STC
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):			
X1.3.11	"P794"	a/s	AP, PS
X1.3.14	"COURSER STEEL RADIAL"	a/s	AP, PS
X1.3.15	"AVENGER LSR"	a/s	AP, PS
X1.3.16	"COURSER OTD STEEL RADIAL"	a/t	AP, PS, STC
X1.3.22	"AVENGER G/T"	a/s	AP, PS
X1.3.23	"GLACIER GRIP"	s/t	AP, PS, STC
X1.3.24	"SENSYS 01"	a/s	AP, PS
X1.3.59	"TOURING LX"	a/s	AP, PS
X1.3.60	"COURSER A/T"	a/s, a/t	AP, PS
X1.3.61	"COURSER HTR"	a/s	AP, PS
X1.3.104	"GALCIER GRIP XT (STUDLESS)"	s/t	AP, PS, STC
X1.3.105	"COURSER AWT"	a/s	AP, PS
X1.3.106	"COURSER C/T"	a/s, a/t	AP, PS
X1.3.107	"COURSER MT"	a/t	AP, PS, STC
X1.3.108	"COURSER MSR"	s/t	AP, PS, STC
MENTOR BRANDS (MANUFACTURED BY COOPER):			
X1.3.17	"WINTERMASTER PLUS"	s/t	AP, PS, STC
X1.3.26	"WINTERMASTER XRT (STUDLESS)"	s/t	AP, PS, STC
X1.3.40	"SR 5000 RADIAL GT"	a/s	AP, PS
X1.3.41	"VANTAGE TOURING"	a/s	AP, PS
X1.3.109	"DURANGO ALL TERRAIN"	a/s, a/t	AP, PS
X1.3.110	"DURANGO RADIAL XTR"	a/s, a/t	AP, PS
X1.3.111	"DURANGO M/T"	a/t	AP, PS, STC
PEP BOYS BRANDS (MANUFACTURED BY COOPER):			
X1.3.88	"FUTURA 2000 RADIAL LTE"	a/s	AP, PS
X1.3.89	"FUTURA TOURING HR"	a/s	AP, PS
X1.3.90	"FUTURA ADVENTURER H/T"	a/s	AP, PS
X1.3.91	"FUTURA DAKOTA H/T"	a/s	AP, PS
X1.3.92	"FUTURA GLS SUPER SPORT"	a/s	AP, PS
X1.3.117	"FUTURA PLUS TOURING SE"	a/s	AP, PS
PARRISH BRANDS (MANUFACTURED BY COOPER):			
X1.3.93	"TACOMA TRAIL A/T"	a/s	AP, PS
X1.3.94	"TACOMA TOURING LE"	a/s	AP, PS
X1.3.95	"TACOMA TRAIL T/E "	a/s	AP, PS
X1.3.96	"TACOMA TRAIL M/T"	a/t	AP, PS, STC

GROUP 1, PASSENGER CAR TIRES (continued)

COOPER TIRE & RUBBER COMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-053
- ◆ QUALIFICATION EXPIRATION DATE: 27 JANUARY, 2007

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
ROADMASTER BRANDS (MANUFACTURED BY COOPER):			
X1.3.62	"CONCOURS"	a/s	AP, PS
X1.3.63	"RAMPAGE G/T"	a/s	AP, PS
X1.3.64	"RADIAL TE"	a/s	AP, PS
X1.3.65	"ALL TERRAIN"	a/s, a/t	AP, PS
X1.3.109	"REQUEST"	a/s	AP, PS
STARFIRE BRANDS (MANUFACTURED BY COOPER):			
X1.3.66	"SPECTRUM LXR"	a/s	AP, PS
X1.3.67	"SX 5000"	a/s	AP, PS
X1.3.68	"TOURING STR"	a/s	AP, PS
X1.3.69	"RADIAL A/T"	a/s, a/t	AP, PS
X1.3.70	"SOLARUS"	a/s	AP, PS
TBC INCORPORATED BRANDS (MANUFACTURED BY COOPER):			
X1.3.71	"GRAND SPIRIT RADIAL GT"	a/s	AP, PS
X1.3.72	"SIGMA REGENT"	a/s	AP, PS
X1.3.73	"SIGMA SUPREME TR"	a/s	AP, PS
X1.3.74	"SIGMA SHADOW"	a/s	AP, PS
X1.3.118	"CLASSIC RADIAL"	a/s	AP, PS
X1.3.119	"CLASSIC RADIAL SR"	a/s	AP, PS
X1.3.110	"CLASSIC RADIAL SE"	a/s	AP, PS
X1.3.111	"SIGMA SUPREME HP"	a/s	AP, PS
X1.3.112	"STAMPEDE RADIAL LX"	a/s	AP, PS
X1.3.113	"WILD SPIRIT RADIAL SUV"	a/s	AP, PS
X1.3.114	"MULTI-MILE WILD COUNTRY TOURING SUV"	a/s	AP, PS
X1.3.115	"STAMPEDE RADIAL XT"	a/t	AP, PS, STC
X1.3.116	"WILD SPIRIT RADIAL RVT"	a/t	AP, PS, STC
X1.3.117	"MULTI-MILE WILD COUNTRY RADIAL RVT"	a/t	AP, PS, STC
X1.3.118	"MULTI-MILE WILD COUNTRY A/T"	a/s, a/t	AP, PS
X1.3.119	"SIGMA STAMPEDE RADIAL SUV"	a/s, a/t	AP, PS
X1.3.120	"POWER KING ALL POSITION"	a/s, a/t	AP, PS
X1.3.121	"POWER KING PLUS"	s/t	AP, PS, STC

GROUP 1, PASSENGER CAR TIRES (continued)

THE GOODYEAR TIRE & RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-043
- ◆ QUALIFICATION EXPIRATION DATE: 9 OCTOBER, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
GOODYEAR BRANDS:			
X1.6.1	"REGATTA"	r/t, a/s (rib)	PS, AP, STC
X1.6.2	"F-32S"	s/t (lug)	PS, AP
X1.6.3	"WRANGLER"	a/s (lug)	PS, AP, STC
X1.6.4	"INVICTA-GL"	r/t, a/s (rib)	PS, AP
X1.6.5	"INVICTA-GS"	a/s, r/t (rib)	PS, AP, STC
X1.6.6	"INVICTA"	a/s, r/t (rib)	PS, AP, STC
X1.6.7	"INVICTA GA-L"	a/s, r/t (rib)	PS, AP, STC
X1.6.8	"S4S"	a/s (rib)	PS, AP, STC
X1.6.9	"EAGLE RSA"	a/s (rib)	PS, AP, STC (DIR)
X1.6.10	"EAGLE GA"	r/t, a/s (rib)	PS, AP
X1.6.11	"MARATHON TRAILER"	t/o (rib)	PS, AP
X1.6.12	"ULTRA GRIP"	s/t (lug)	PS, AP
X1.6.13	"EAGLE ST IV"	r/t (rib)	PS, AP
X1.6.14	"EAGLE GT+4"	a/s, r/t (rib)	PS, AP, STC
X1.6.17	"EAGLE 1"	r/t (rib)	PS, AP
X1.6.18	"CONQUEST"	a/s, r/t (rib)	PS, AP, STC
X1.6.19	"ULTRA GRIP HP"	s/t (lug)	PS, AP
X1.6.20	"ULTRA GRIP N"	s/t (lug)	PS, AP
X1.6.21	"INFINITRED"	a/s, r/t (rib)	PS, AP, STC
X1.6.22	"INTEGRITY"	a/s, r/t (rib)	PSN, AP, STC
X1.6.24	"WINGFOOT HP"	a/s, r/t (rib)	PSN, AP, STC
X1.6.25	"EAGLE LS"	a/s, r/t (rib)	PSN, AP, STC
X1.6.26	"EAGLE GT II"	a/s, r/t (rib)	PSN, AP, STC
X1.6.27	"EAGLE HP H-SPEED"	a/s (rib)	PSN, AP(DIR)
X1.6.28	"EAGLE HP ULTRA H-SPEED"	a/s (rib)	PSN, AP, STC(DIR)
X1.6.29	"ULTRA GRIP NHV"	m/s (lug)	PSN, AP
X1.6.30	"EAGLE GS-D"	a/s, r/t (rib)	PSN, AP, STC (DIR)
X1.6.32	"EAGLE ULTRA GRIP (GW-2)"	m/s (lug)	PSN, AP(DIR)
X1.6.33	"EAGLE VR/ZR"	r/t (rib)	PSN, AP (DIR)
X1.6.34	"EAGLE M&S"	s/t (lug)	PS, AP
X1.6.35	"ULTRA GRIP 4"	s/t (lug)	PS, AP
X1.6.36	"EAGLE F1 GS"	a/s (rib)	S, AP (DIR, Z-SPEED RATED)
X1.6.37	"CONQUEST GA"	r/t, a/s (rib)	PS, AP, STC
X1.6.38	"CONQUEST GL"	r/t, a/s (rib)	PS, AP, STC
X1.6.39	"DECATHLON"	r/t, a/s (rib)	PS, AP, STC
X1.6.40	"T-METRIC"	a/s (rib)	PS, AP, STC
X1.6.41	"REGATTA 2"	r/t, a/s (rib)	PS, AP, STC
X1.6.42	"CONQUEST AP"	a/s (rib)	PS, AP
X1.6.43	"CONQUEST AT"	a/s, o/o (rib)	PS, AP
X1.6.44	"AQUA TREAD III"	r/t (rib)	PS, AP
X1.6.45	"CLUB"	r/t (rib)	PS, AP

GROUP 1, PASSENGER CAR TIRES (continued)

THE GOODYEAR TIRE & RUBBER COMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-012
- ◆ QUALIFICATION EXPIRATION DATE: 11 JANUARY, 2004

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):			
X1.8.1	"CELEBRITY"	a/s	PS, AP
X1.8.2	"EXPLORER"	a/s	PS, AP
X1.8.3	"MARINER 600"	a/s	PS, AP
X1.8.4	"NAVIGATOR 800S"	a/s	PS, AP
X1.8.5	"CHARGER SR"	a/s	PS, AP
X1.8.6	"METRIC"	a/s	PS, AP
X1.8.7	"METRIC 600T"	a/s	PS, AP
X1.8.8	"WINTERMARK HT"	s/t	PS, AP
X1.8.9	"PACEMARK GTR"	s/t	PS, AP
X1.8.10	"PACEMARK ST GTR STUDLESS"	s/t	PS, AP
X1.8.11	"CHARGER HR"	a/s	PSN, AP
X1.8.12	"SUPER RIDE ALL SEASON"	a/s	PS, AP
X1.8.13	"ULTRA TOURING"	a/s	PS, AP
X1.8.14	"ULTRA HP/50 SR"	a/s	PS, AP
X1.8.15	"METRIC A/S"	a/s	PS, AP
X1.8.16	"ULTRA T METRIC"	a/s	PS, AP
X1.8.91	NAVIGATOR GOLD	a/s	PS,AP
X1.8.38	HALLMARK - "ULTIMATE AWR"	a/s	PS, AP
X1.8.39	HALLMARK - "VISCOUNT"	a/s	PS, AP
X1.8.40	HALLMARK - "PWR"	a/s	PS, AP
X1.8.41	HALLMARK - "SUPER G/T SPORT RADIAL SR"	a/s	PS, AP
X1.8.42	HALLMARK - "ULTIMATE METRIC"	a/s	PS, AP
X1.8.43	HALLMARK - "METRIC T"	a/s	PS, AP
X1.8.44	HALLMARK - "SUPER G/T SPORT RADIAL HR"	a/s	PSN, AP
X1.8.17	LEE - "ALL WEATHER"	a/s	PS, AP
X1.8.18	LEE - "PARAMOUNT"	a/s	PS, AP
X1.8.19	LEE - "GT VI STEEL TRAK"	a/s	PS, AP
X1.8.20	LEE "TURBO ACTION RADIAL G/T SR "	a/s	PSN, AP
X1.8.21	LEE - "STEEL TRAK METRIC"	a/s	PS, AP
X1.8.22	LEE - "ADVANCED METRIC"	a/s	PS, AP
X1.8.23	LEE - "TURBO ACTION RADIAL G/T HR"	a/s	PS, AP
X1.8.31	MONARCH - "ULTRA-FLEX"	a/s	PS, AP
X1.8.32	MONARCH - "DIPLOMAT"	a/s	PS, AP
X1.8.33	MONARCH - "ULTRA TRAK"	a/s	PS, AP
X1.8.34	MONARCH - "ROAD HUGGER RADIAL G/T SR"	a/s	PS, AP
X1.8.35	MONARCH - "T/P METRIC"	a/s	PS, AP
X1.8.36	MONARCH - "ROAD HUGGER METRIC"	a/s	PS, AP
X1.8.37	MONARCH - "ULTRA HP4 HR"	a/s	PSN, AP
X1.8.92	PACEMARK-"SNOWTRACKER ST/2"	s/t	PS,AP
X1.8.93	PACEMARK-"METRIC T"	a/s	PS,AP
X1.8.94	PACEMARK-"METRIC S"	a/s	PS,AP
X1.8.95	PACEMARK-"RADIAL G/T"	a/s	PSN,AP
X1.8.96	PACEMARK-"RADIAL HR"	a/s	PSN,AP
X1.8.97	PACEMARK-"RADIAL SR (70,65,60,55,50)	a/s	PS,AP
X1.8.98	PACEMARK-"PREMIUM A/S"	a/s	PS,AP
X1.8.99	PACEMARK-"A/S PLUS"	a/s	PS,AP
X1.8.100	PACEMARK-"A/S"	a/s	PS,AP
X1.8.45	REPUBLIC - "ENSIGN"	a/s	PS, AP
X1.8.46	REPUBLIC - "HORIZON"	a/s	PS, AP
X1.8.47	REPUBLIC - "WEATHER KING"	a/s	PS, AP
X1.8.48	REPUBLIC - "ROAD REBEL RADIAL G/T SR"	a/s	PS, AP
X1.8.49	REPUBLIC - "HORIZON METRIC"	a/s	PS, AP
X1.8.50	REPUBLIC - "INVADER METRIC"	a/s	PS, AP
X1.8.51	REPUBLIC - "INVADER RADIAL G/T HR"	a/s	PSN, AP
X1.8.24	STAR - "SKYTRAK"	a/s	PS, AP
X1.8.25	STAR - "ENTERPRISE"	a/s	PS, AP
X1.8.26	STAR - "IMPERIAL PSR"	a/s	PS, AP

GROUP 1, PASSENGER CAR TIRES (continued)

THE GOODYEAR TIRE & RUBBER COMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-012
- ◆ QUALIFICATION EXPIRATION DATE: 11 JANUARY, 2004

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR, CONTINUED):			
X1.8.27	STAR - "SUPER STAR RADIAL G/T SR"	a/s	PS, AP
X1.8.28	STAR - "SKYMASTER METRIC"	a/s	PS, AP
X1.8.29	STAR - "CENTURION METRIC"	a/s	PS, AP
X1.8.30	STAR - "SUPER STAR RADIAL G/T HR"	a/s	PSN, AP
KELLY-SPRINGFIELD, CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.84	"COUNTRY SQUIRE XTC"	s/t	PS, AP
X1.8.85	"GOLDEN MARK TOURING"	a/s	PS, AP
X1.8.86	"GOLDEN MARK PREMIUM"	a/s	PS, AP
X1.8.87	"SILVER MARK"	a/s	PS, AP
X1.8.88	"WEATHER MARK"	a/s	PS, AP
X1.8.89	"MARK 300"	a/s	PS/AP
KELLY-HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.80	"CLASSIC"	a/s	PS, AP
X1.8.81	"700"	a/s	PS, AP
X1.8.82	"SUPER SPORT RADIAL GTS"	a/s	PS/AP
KELLY-JETZON/TELSTAR BRANDS (MANUFACTURED BY GOODYEAR):			
X1.8.52	GEMINI	a/s	PS,AP
X1.8.53	INNOVATION	a/s	PS,AP
X1.8.54	STRATA-JET	a/s	PS,AP
X1.8.55	GENESIS	a/s	PS,AP
X1.8.56	ULTRA-QUAD TOURING	a/s	PS,AP
X1.8.57	REVENGER (SR)	a/s	PS,AP
X1.8.58	REVENGER (HR)	a/s	PSN,AP
X1.8.59	STEALTH 3000	a/s	PS,AP
X1.8.60	STEALTH 5000	a/s	PS,AP
X1.8.61	STRATGARD METRIC	a/s	PS,AP
X1.8.62	SABRE XJ-40 METRIC	a/s	PS,AP
X1.8.63	EASY RIDER	a/s	PS,AP
X1.8.64	WEATHERIZER	a/s	PS,AP
X1.8.65	DURATION TOURING S/T	a/s	PS,AP
X1.8.66	PREMIUM TOURING G/T	a/s	PS,AP
X1.8.67	TURBOSTAR (SR)	a/s	PS,AP
X1.8.68	TURBOSTAR (HR)	a/s	PSN,AP
X1.8.69	YEAR 'ROUND METRIC	a/s	PS,AP
KELLY-LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.101	EASY RIDER	a/s	PS,AP
X1.8.102	STEEL RIDER	a/s	PS,AP
X1.8.103	DURATION TOURING S/T	a/s	PS,AP
X1.8.104	PREMIUM TOURING G/T	a/s	PS,AP
X1.8.105	PERFORMER (SR)	a/s	PS,AP
X1.8.106	PERFORMER (HR)	a/s	PSN,AP
X1.8.107	STEALTH 3000	a/s	PSN,AP
X1.8.108	STEALTH 5000	a/s	PSN,AP
X1.8.109	YEAR 'ROUND METRIC	a/s	PS,AP
X1.8.110	SABRE XJ-40 METRIC	a/s	PS,AP
KELLY-SPARTAN BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.116	USA 1 *STEEL RADIAL	a/s	PS,AP
X1.8.117	USA **PLUS	a/s	PS,AP
X1.8.118	USA "12" T/E	a/s	PS,AP
X1.8.119	USA "12" A/C	a/s	PS,AP

GROUP 1, PASSENGER CAR TIRES (continued)

THE GOODYEAR TIRE & RUBBER COMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-012
- ◆ QUALIFICATION EXPIRATION DATE: 11 JANUARY, 2004

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
KELLY-SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.70	ENDURANCE ASR	a/s	PS,AP
X1.8.71	SIEMPRE VI	a/s	PS,AP
X1.8.72	MEGA TRAC PLUS	a/s	PS,AP
X1.8.73	PREMIUM RADIAL RIDE PLUS	a/s	PS,AP
X1.8.74	TLX LUZURY TOURING	a/s	PS,AP
X1.8.75	SUPER TRAC RADIAL GT	a/s	PS,AP
X1.8.76	RADIAL TRAC	a/s	PS,AP
X1.8.77	METRIC 220 A/S	a/s	PS,AP
X1.8.78	MEGA PLUS	a/s	PS,AP
X1.8.79	RADIAL TRAC PLUS H	a/s	PS,AP
KELLY-TOW-MASTER BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.83	TRAILER RADIAL (ST)	r/t (rib)	PS, TO
KELLY-VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.90	TURBO-TECH A/S II	a/s	PS,AP
X1.8.111	TURBO-TECH METRIC	a/s	PS,AP
X1.8.112	TURBO-TECH GT RADIAL	a/s	PS,AP
X1.8.113	TURBO-TECH TOURING 4000	a/s	PS,AP
X1.8.114	TURBO-TECH TOURING A/S	a/s	PS,AP
X1.8.115	TURBO-TECH A/S	a/s	PS,AP
KELLY-WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):			
X1.8.120	CALIFORNIAN I	a/s	PS,AP
X1.8.121	CALIFORNIAN II	a/s	PS,AP
X1.8.122	CLASSIC	a/s	PS,AP
X1.8.123	SIGNATURE	a/s	PS,AP
X1.8.124	WINNER G/T	a/s	PS,AP
X1.8.125	WINNER	a/s	PS,AP
X1.8.126	CALIFORNIAN METRIC	a/s	PS,AP
X1.8.127	CLASSIC METRIC	a/s	PS,AP
X1.8.128	SIGNATURE METRIC	a/s	PS, AP

GROUP 1, PASSENGER CAR TIRES

MICHELIN NORTH AMERICA

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
------------------------	----------------------------	-------	-------

BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):

◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES			
◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-014			
◆ QUALIFICATION EXPIRATION DATE: 1 APRIL, 2004			
X1.9.1	"LIFESAVER A/W"	a/s, m/s (rib)	PS, AP
X1.9.3	"TRAILMAKER PLUS"	s/t, m/s (lug)	PS, AP
X1.9.4	"ADVANTAGE"	a/s, m/s (rib)	PS, AP
X1.9.6	"RADIAL T/A"	a/s, m/s (rib)	PS, AP
X1.9.8	"RADIAL T/A WR"	s/t, m/s (lug)	PS, AP
X1.9.9	"TOURING T/A SR4"	a/s, m/s (rib)	PS, AP
X1.9.10	"TOURING T/A TR4"	a/s, m/s (rib)	PS, AP
X1.9.11	"RADIAL LONG TRAIL T/A"	a/s, m/s (rib)	PS, AP
X1.9.54	"CONTROL T/A M65"	a/s, m/s (rib)	PS, AP
X1.9.55	"CONTROL T/A M80"	a/s, m/s (rib)	PS, AP
X1.9.56	"WINTER SLALOM"	a/s, m/s (lug)	PS, AP
X1.9.57	"TRAIL T/A"	a/s, m/s (lug)	PS, AP
X1.9.58	"COMMERCIAL LT"	a/s, m/s (rib)	PS, AP

MICHELIN BRANDS:

◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES			
◆ TEST QUALIFICATION REFERENCE: ACST-CATL-T1-1/98-046			
◆ QUALIFICATION EXPIRATION DATE: 7 JANUARY, 2006			
X1.9.21	"XW4"	a/s, m/s (rib)	PS, AP
X1.9.22	"XGT4"	a/s, m/s (rib)	PS, AP
X1.9.23	"XH4"	a/s, m/s (rib)	PS, AP
X1.9.24	"MXL"	r/t, (rib)	PS, AP
X1.9.26	"XM+S 100"	s/t, m/s (lug)	PS, AP
X1.9.27	"LTX A/T"	a/s, m/s (rib)	PS, AP
X1.9.29	"XZX"	r/t, (rib)	PS, AP
X1.9.30	"XCH 4"	a/s, m/s (rib)	PS, AP
X1.9.31	"X RADIAL"	a/s, m/s (rib)	PS, AP
X1.9.32	"X METRIC"	a/s, m/s (rib)	PS, AP
X1.9.33	"MX4"	a/s, m/s (rib)	PS, AP
X1.9.36	"LTX M/S"	a/s, m/s (rib)	PS, AP
X1.9.37	"X-ONE"	a/s, m/s (rib)	PS, AP
X1.9.38	"X M&S 130"	s/t, m/s (lug)	PS, AP
X1.9.39	"RAIN FORCE MX4"	a/s, m/s (rib)	PS, AP
X1.9.40	"XM&S 330"	s/t, m/s (lug)	PS, AP
X1.9.41	"XM&S ALPIN"	s/t, m/s (lug)	PS, AP
X1.9.42	"XCM&S 4"	s/t, m/s (lug)	PS, AP
X1.9.43	"XZ4"	a/s, m/s (rib)	PS, AP
X1.9.44	"LTX A/S"	a/s (rib)	PS, AP
X1.9.65	"ALL SEASON RAIN FORCE MX4"	a/s (rib)	PS, AP
X1.9.66	"SUMMETRY"	a/s, m/s (rib)	PS, AP
X1.9.67	"CROSS TERRAIN"	a/s, m/s (rib)	PS, AP
X1.9.68	"ENERGY LX4"	a/s, m/s (rib)	PS, AP
X1.9.69	"HARMONY"	a/s, m/s (rib)	PS, AP
X1.9.70	"4X4 ALPIN"	s/t	PS, AP
X1.9.71	"ARTIC ALPIN"	s/t	PS, AP

GROUP 1, PASSENGER CAR TIRES (continued)

MICHELIN NORTH AMERICA (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-013
- ◆ QUALIFICATION EXPIRATION DATE: 1 FEBRUARY, 2004

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):			
X1.9.12	"TIGER PAW XTM"	a/s, m/s (rib)	PS, AP
X1.9.13	"TIGER PAW XTM ROYALSEAL"	a/s, m/s (rib)	PS, AP
X1.9.14	"TIGER PAW XTM ROYALSEAL GOLDSTRIPE"	a/s, m/s (rib)	PS, AP
X1.9.15	"TIGER PAW AWP"	a/s, m/s (rib)	PS, AP
X1.9.16	"RALLYE GTS"	a/s, m/s (rib)	PS, AP
X1.9.17	"TIGER PAW GTS"	a/s, m/s (rib)	PS, AP
X1.9.19	"RALLYE M&S"	s/t, m/s (lug)	PS, AP
X1.9.20	"LAREDO AWP"	a/s, m/s (rib)	PS, AP
X1.9.45	"TIGER PAW NAILGARD"	a/s, m/s (rib)	PS, AP
X1.9.46	"TIGER PAW AWP ROYALSEAL"	a/s, m/s (rib)	PS, AP
X1.9.47	"TIGER PAW AQUA GRIP"	a/s, m/s (rib)	PS, AP
X1.9.48	"TIGER PAW TOURING TR"	a/s, m/s (rib)	PS, AP
X1.9.49	"TIGER PAW ICE & SNOW"	s/t, m/s (lug)	PS, AP
X1.9.50	"LAREDO AWT"	a/t, m/s (lug)	PS, AP
X1.9.51	"LAREDO ALL SEASON"	a/s, m/s (rib)	PS, AP
X1.9.52	"LAREDO AWR"	a/s, m/s (rib)	PS, AP
X1.9.53	"LAREDO NAILGARD"	a/s, m/s (rib)	PS, AP
X1.9.63	"TIGER PAW AS 6000"	a/s, m/s (rib)	PS, AP
X1.9.64	"TIGER PAW AS 65"	a/s, m/s (rib)	PS, AP

GROUP 1, PURSUIT & EMERGENCY HIGH SPEED

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED BRANDS

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

BRIDGESTONE BRANDS:

X1.2.8P	"HP 41"	a/s	AP, PSN, PEHS, SR-H	P185/70R14 P195/70R14 P205/70R14 P215/70R14 P225/70R15 P235/70R15
---------	---------	-----	------------------------	--

X1.2.9P	"S-471"	r/t	AP, PSN, PEHS, SR-H	P185/70R14 P195/70R14 P205/70R14 P215/70R14 P225/70R15 P235/70R15
---------	---------	-----	------------------------	--

X1.2.10P	"RE71"	r/t	AP, PSN, PEHS, SR-H	P225/60R15
----------	--------	-----	------------------------	------------

FIRESTONE BRANDS:

X1.2.32P	"AEROFIRE"	a/s	AP,PSN, PEHS, SR-H	P195/70R14 P215/70R15 P225/70R15 P235/70R15
----------	------------	-----	-----------------------	--

X1.2.33P	"FIREHAWK GTA"	a/s	AP, PSN, PEHS, SR-H	P195/70R14 P225/60R15
----------	----------------	-----	------------------------	--------------------------

X1.2.34P	"FIREHAWK SVX"	a/s	AP, PSN, PEHS, SR-H	P225/60R15 (V) P225/55R16 (Z) P245/50R16
----------	----------------	-----	------------------------	--

X1.2.35P	"TOWN & COUNTRY SUPER RADIAL	s/t	AP, PSN,	SR-H: P205/70R15 SR-H: P215/70R15 SR-H: P225/70R15 SR-T: P235/70R15
----------	------------------------------	-----	----------	--

X1.2.36P	"FIREHAWK PV40"	a/s	AP, PSN, PEHS, SR-V	P225/70R15 (100V) P235/70R15 (102V)
----------	-----------------	-----	------------------------	--

X1.2.40	"FIREHAWK PV41"	a/s	AP, PSN, PEHS, SR-V	P225/70R15 (100V) P235/70R15 (102V) P225/60R16 (97V)
---------	-----------------	-----	------------------------	--

CONTINENTAL GENERAL TIRE INCORPORATED

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL/GENERAL TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

GENERAL BRANDS:

X1.5.10P	"XP 2000 AS" (H speed rating)	a/s (rib)	AP, PEHS, PSN, SR-H	P185/70R14 P215/70R14 P205/60R15 P215/70R15 P225/70R15 P235/70R15
----------	-------------------------------	-----------	------------------------	--

GROUP 1, PURSUIT & EMERGENCY (continued)
CONTINENTAL GENERAL BRANDS (continued)

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL/GENERAL TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
GENERAL BRANDS (continued):				
X1.5.10P	“XP 2000 AS” (T speed rating)	a/s (rib)	AP, PEHS, PSN, SR-T	P205/65R15
X1.5.10P	“XP 2000 AS” (V speed rating)	a/s (rib)	AP, PEHS, PSN, SR-V	P225/60R15 P235/70R15
X1.5.12P	“XP 2000 II” (H speed rating)	a/s,r/t (rib)	AP, PEHS, P195/60R14 PSN, SR-H	P265/70R15 P245/70R16 P255/55R16 P265/70R16 P275/55R16 P275/70R16
X1.5.12P	“XP 2000 II” (T speed rating)	a/s,r/t (rib)	AP, PEHS, P175/70R13 PSN, SR-T	P185/70R13 P195/70R13 P205/70R13 P185/60R14 P185/70R14 P195/60R14
X1.5.12P	“XP 2000 II” (T speed rating)	a/s,r/t (rib)	AP, PEHS, PSN, SR-T	P195/70R14 P195/60R14 P205/60R14 P205/70R14 P215/60R14 P215/70R14 P235/60R14 P195/50R15 P195/60R15 P195/65R15 P205/50R15 P205/60R15 P205/65R15 P215/65R15 P225/70R15 P235/60R15 P235/70R15 P245/60R15 P255/60R15 P255/70R15 P265/70R15 P275/60R15 P215/60R16 P225/60R16
X1.5.13P	“XP 2000 H4”	a/s (rib)	AP, PEHS , PSN, SR-H	P185/60R14 P185/65R14 P185/70R14 P195/60R14 P195/65R14 P215/60R14 P185/65R15 P195/60R15 P195/65R15 P205/55R16

GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED

(continued)

CONTINENTAL GENERAL BRANDS (continued)

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL/GENERAL TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

GENERAL BRANDS (continued):

X1.5.13P	“XP 2000 H4”	a/s (rib)	AP, PEHS , PSN, SR-H	P205/60R15 P215/60R15 P215/65R15 P225/60R15
X1.5.14P	“XP 2000 V4”	a/s (rib)	AP, PEHS , PSN, SR-V	P205/70R15 P225/50R16 P225/60R16 P225/70R15 P235/70R15 P245/50R16 P255/50R16
X1.5.15P	“XP 2000 A4” (H speed rating)	a/s,r/t (rib)	AP, PEHS, PSN, SR-H	P175/70R13 P185/70R13 P175/65R14 P185/60R14 P185/65R14 P185/70R14 P195/60R14 P195/65R14 P195/70R14
X1.5.15P	“XP 2000 A4” (V speed rating)	a/s,r/t (rib)	AP, PEHS, PSN, SR-V	P225/60R15 P225/50R16 P195/60R15 P195/65R15 P205/60R15 P205/64R15 P215/60R15 P215/65R15 P205/55R16 P225/60R16 P245/50R16
X1.5.16P	“XP 2000 Z4”	a/s,r/t (rib)	AP, PEHS PSN, SR-W	P225/50ZR16 P245/50ZR16 P275/40ZR17
X1.5.17P	“XP 2000 H4S”	a/s,r/t (rib)	AP, PEHS, PSN, SR-H	P195/70R14
X1.5.18P	“XP 2000 MS”	a/s,r/t (rib)	AP, PEHS, PSN, SR-H	P225/70R15
X1.5.19P	“XP 2000 X4”	a/s,r/t (rib)	AP, PEHS, PSN, SR-H	P225/50R17

GROUP 1, PURSUIT & EMERGENCY HIGH SPEED (cont.)
COOPER TIRE & RUBBER COMPANY

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE MANUFACTURING FACILITIES

GOVERNMENT MODEL/BRAND
ITEM NO. DESIGNATION CLASS CODES QUALIFIED SIZES

COOPER BRANDS:

X1.3.31P	"COBRA RADIAL GTH"	a/s	AP, PS, PEHS, SR-H	P185/60R14 P195/60R14 P205/60R14 P215/60R14 P195/60R15 P205/60R15 P215/60R15 P225/60R15 P215/65R15 P225/70R15
X1.3.32P	"STARFIRE HR 5000 RADIAL GT"	a/s	AP, PS, PEHS, SR-H	P225/70R15
X1.3.34P	"COBRA GTZ"	a/s	AP,PSN,PEHS SR-W	225/60ZR15 225/60ZR16 245/50ZR16 245/45ZR17 275/40ZR17
X1.3.35P	"HPZ 760"	a/s	AP,PSN,PEHS SR-W	225/60ZR15 225/60ZR16 245/50ZR16 245/45ZR17 275/40ZR17
X1.3.97P	"LIFELINER TOURING SLE"	a/s	AP,PS,PEHS, SR H AP,PS,PEHS, SR V	225/70R15 225/60R16

ELDORADO BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):

X1.24.1P	"VISION GTH 4"	a/s	AP, PS, PEHS, SR-H	P185/60R14 P195/60R14 P205/60R14 P215/60R14 P195/60R15 P205/60R15 P215/60R15 P225/60R15 P215/65R15
----------	----------------	-----	-----------------------	--

MASTERCRAFT BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):

X1.3.98P	"AVENGER LSR"	a/s	AP,PS,PEHS, SR H AP,PS,PEHS, SR V	225/70R15 225/60R16
----------	---------------	-----	--------------------------------------	------------------------

PEP BOYS BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):

X1.25.1P	"FUTURA CHALLENGER GTH"	a/s	AP,PS,PEHS, SR-H	P225/70R15
X1.25.2P	"FUTURA ULTRA Z"	a/s	AP,PSN,PEHS SR-W	P225/60ZR15 P225/60ZR16 P245/50ZR16 P245/45ZR17 P275/40ZR17

TBC INC. BRANDS (MANUFACTURED BY COOPER TIRE & RUBBER COMPANY):

X1.3.75P	"SIGMA SUPREME HP"	a/s	AP, PS, PEHS, SR-H	P215/65R15 P185/60R14 P195/60R14 P205/60R14 P215/60R14 P195/60R15 P205/60R15 P215/60R15 P225/60R15
----------	--------------------	-----	-----------------------	--

GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED

(continued)

DUNLOP TIRE CORPORATION

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL DUNLOP TIRE CORPORATION TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

DUNLOP BRANDS:

X1.4.4P	"D60A2"	a/s	AP, PEHS SR-H	P185/70R14 P195/70R14 P205/70R14 P175/65R14 P195/60R14 P205/60R14 P185/65R15 P195/65R15 P205/65R15 P195/60R15 P205/60R15 P215/60R15 P225/60R15 P205/50R15 P205/55R16
X1.4.5P	"SPORT ROVER GTX"	a/s	AP, PEHS, SR-H, PSN	P215/70R14 P215/70R15 P235/70R15 P255/70R15 P225/60R14 P235/60R14 P235/60R15 P255/60R15 P275/60R15

THE GOODYEAR TIRE & RUBBER COMPANY

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

GOODYEAR BRANDS:

X1.6.21P	"EAGLE M+S" (H speed rating)	s/t, m/s (lug)	PSN, AP, PEHS, SR-H	P215/65R15 P225/70R15 P235/70R15
X1.6.21P	"EAGLE M+S" (V speed rating)	s/t, m/s (lug)	PSN, AP, PEHS, SR-V	P225/70R15 P235/70R15
X1.6.22P	"EAGLE GT+4"(H speed rating)	a/s, r/t (rib)	PSN, AP, PEHS, STC, SR-H	P215/70R14 P215/65R15 P215/70R15 P225/70R15
X1.6.22P	"EAGLE GT+4"(V speed rating)	a/s, r/t (rib)	PSN, AP, PEHS, STC, SR-V:	P235/70R15
X1.6.23P	"F32-S"	s/t (lug)	PEHS, AP, PSN	P205/70R14 P215/70R15 P225/70R15
X1.6.24P	"EAGLE VR/ZR"	r/t (rib)	AP, PEHS, PSN(DIR): SR-V/Z	P225/60R15
X1.6.25P	"EAGLE GA"	a/s, r/t (rib)	AP, PEHS, PSN, STC:SR-H	P225/70R15

GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED
(continued)

THE GOODYEAR TIRE & RUBBER COMPANY (continued)

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

GOODYEAR BRANDS (CONTINUED):

X1.6.26P	"EAGLE RS-A"(V speed rating)	a/s (rib)	AP, PEHS, PSN, STC, SR-V	P225/70R15 P235/70R15 P225/60R16
X1.6.26P	"EAGLE RS-A"(Z speed rating)	a/s (rib)	AP, PEHS, PSN, STC,	SR-Z: P245/50ZR16
X1.6.27P	"EAGLE GS-C"	a/s (rib)	AP, PEHS, PSN, STC (DIR),	SR-Z P245/50R16
X1.6.28P	"EAGLE ULTRA GRIP GW2"(H speed rating)	m/s (lug)	PEHS, AP(DIR) SR-H	205/65R15 215/65R15
X1.6.28P	"EAGLE ULTRA GRIP GW2"(V speed rating)	m/s (lug)	PEHS, AP(DIR),	SR-V 225/60R16
X1.6.29P	"EAGLE GA MVSB"	a/s (rib)	AP, PEHS, P225/60R16 PSN, STC, SR-97V	

KELLY-SPRINGFIELD TIRE COMPANY

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ QUALIFIED PRODUCTION POINTS: ALL KELLY-SPRINGFIELD TIRE MANUFACTURING FACILITIES
- ◆ CONSULT TIRE MANUFACTURER/LOCAL DEALER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

KELLY-SPRINGFIELD BRANDS:

X1.8.31P	"CHARGER VR"	a/s	AP, PSN, PEHS, SR-V	P205/65R15
X1.8.32P	"CHARGER HR"	a/s	SR-H SR-H SR-H SR-H SR-H SR-H SR-H SR-H SR-H	P225/60R14 P225/60R15 P225/60R16 P195/50R15 P205/50R15 P225/50R15 P225/50R16 P245/50R16 P205/55R16

MICHELIN NORTH AMERICA

BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ CONSULT TIRE MANUFACTURER/LOCAL DEALER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

X1.9.60P	"TOURING T/A HR4"	a/s (rib)	AP, PEHS, PS, SR-97H	P225/60R16
X1.9.61P	"TOURING T/A VR4"	a/s (rib)	AP, PEHS, PS, SR-97V	P225/60R16

GROUP 1, PURSUIT AND EMERGENCY HIGH SPEED

(continued)

MICHELIN NORTH AMERICA (continued)

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ CONSULT TIRE MANUFACTURER/LOCAL DEALER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

MICHELIN BRANDS:

X1.9.62P	"PILOT ALPIN"	a/s (rib)	AP, PEHS, PS, SR-98H	225/60R16
X1.9.64P	"PILOT XGTH4"	a/s (rib)	AP, PEHS, PS, SR-97H	225/60R16
X1.9.64P	"PILOT XGTV4"	a/s (rib)	AP, PEHS, PS, SR-97V	225/60R16

UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):

X1.9.59P	"TIGER PAW GTH4"	a/s (rib)	AP, PEHS, PS, SR-97H	P225/60R16
X1.9.63P	"TIGER PAW TOURING HR"	a/s (rib)	AP, PEHS, PS, SR-97H	P225/60R16

YOKOHAMA TIRE CORPORATION

- ◆ QUALIFIED PRODUCTION POINTS: ALL YOKOHAMA TIRE QUALIFIED TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
------------------------	----------------------------	-------	-------	-----------------

YOKOHAMA BRANDS:

X1.12.1P	"AKURET G.T.X. PERFORMANCE"	a/s, m/s	PSN, EHS, SR-H	P225/60R16
X1.12.2P	"AKURET G.T.X. PERFORMANCE"	a/s, m/s	PSN,EHS SR-H	P225/70R15

GROUP 2, LIGHT TRUCK: NEW TIRES

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: FCA-95057-BF2
- ◆ QUALIFICATION EXPIRATION DATE: 1 SEPTEMBER, 2003

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BRIDGESTONE BRANDS:			
X2.2.1RA	"R260"	r/t	AP, PS
X2.2.2RA	"VSX"	d/a	SS, PS, AP
X2.2.3RA	"R187"	r/t	SS, AP
X2.2.4RA	"R220"	r/t	SS, AP
X2.2.5RA/RB	"R230"	r/t	AP, PS
X2.2.6RA	"R265"	r/t	AP, PS
X2.2.7RA/RB	"D661"	a/t	AP, PS, STC
X2.2.8RA/RB	"604V"	a/t	AP, PS, STC
X2.2.9RA/RB	"610V"	a/t	AP, PS, STC
X2.2.10RA/RB	"D682"	a/s	AP, PS
X2.2.11RA/RB	"613V"	r/t	AP, PS
X2.2.12RA/RB	"603V"	r/t	AP, PS
X2.2.13RA/RB	"R273"	r/t	AP, PS
X2.2.14RA/RB	"M724"	a/s	AP, PS
X2.2.15RA/RB	"M773"	a/t	AP, PS
X2.2.16RA/RB	"DUELER MT"	o/o	DA, PS
X2.2.17RA/RB	"DUELER HT"	a/s	AP, PS
X2.2.18RA/RB	"DUELER AT"	a/t	DA, PS
X2.2.19RA/RB	"DUELER H/P"	r/t	AP, PS
X2.2.20RA/RB	"DUELER HTS"	r/t	AP, PS
X2.2.22RA/RB	"DESERT DUELER D684"	r/t	AP, PS
FIRESTONE BRANDS:			
X2.2.19RA/BB	"TRANSPORT 110"	r/t	AP, N
X2.2.20BA/BB	"TRANSPORT 1 WIDE OVAL"	r/t	AP, N
X2.2.21BA/BB	"TOWN AND COUNTRY"	o/o	AP, N
X2.2.22BA/BB	"SUPER ALL TRACTION"	o/o	AP, N
X2.2.23BA/BB	"SUPER ALL TRACTION ND & NDT"	o/o	AP, N
X2.2.24RA/RB	"STEELEX RADIAL 23 DEGREE"	a/t	AP, PS
X2.2.25RA/RB	"STEELEX RADIAL R4S"	a/s, r/t	AP, PS
X2.2.27RA/RB	"FIREHAWK ATX"	a/s	AP, PS
X2.2.32RA/RB	"FIREHAWK R4S"	a/s, s/t	AP, PS
X2.2.33RA/RB	"FIREHAWK RMT"	a/t	AP, PS
X2.2.34RA/RB	"STEELEX RADIAL A/T"	a/s a/t	AP, PS

CONTINENTAL GENERAL BRANDS

- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-004
- ◆ QUALIFICATION EXPIRATION DATE: 31 AUGUST, 2003
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL/GENERAL TIRE MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
CONTINENTAL BRANDS:			
X2.5.13RA/RB	"CONTITRAC SUV"	a/s (rib)	AP, PS
X2.5.14RA/RB	"CONTITRAC TR"	a/t (lug)	AP, PS
X2.5.15RA/RB	"AMERITRAC SUV"	a/s (rib)	AP, PS
X2.5.16RA/RB	"AMERITRAC TR"	a/t (lug)	AP, PS
GENERAL BRANDS:			
X2.5.2RA/RB	"AMERI*550 AS"	a/s, m/s (rib)	AP, PS
X2.5.3RA/RB	"AMERI*550 TR"	a/t (lug)	AP, PS
X2.5.8RA/RB	"GRABBER AP"	a/s (rib)	AP, PS, STC
X2.5.9RA/RB	"GRABBER AT"	a/t (lug)	DA, PS, STC
X2.5.10RA/RB	"GRABBER MT"	a/t (lug)	DA, PS, STC
X2.5.12RA/RB	"GRABBER ST"	a/s (rib)	AP, PS

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

COOPER TIRE & RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-057
- ◆ QUALIFICATION EXPIRATION DATE: 30 JUNE, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
AVON TYRES BRANDS (MANUFACTURED BY COOPER):			
X2.3.17RA	"RANGER A-T"	a/s	AP, PS
X2.3.18RA	"RANGER TSE"	a/s	AP, PS
COOPER BRANDS:			
X2.3.1RA	"DISCOVERER RADIAL LT"	a/s, at	AP, PS
X2.3.2RA	"SRM II"	r/t	AP, PS
X2.3.3RA	"DISCOVERER RADIAL STT"	a/t	AP, PS, STC
X2.3.4RA	"DISCOVERER S/T"	a/s,a/t	AP, PS
X2.3.5RA	"DISCOVERER M+S"	s/t	AP, PS, STC
X2.3.19RA	"DISCOVERER A/T"	a/s, a/t	AP, PS
X2.3.20RA	"DISCOVERER H/T"	a/s	AP, PS
NOTE: MORE COOPER BRANDS, STEEL/STEEL CONSTRUCTION ARE ALSO LISTED BELOW.			
DEAN BRANDS (MANUFACTURED BY COOPER):			
X2.3.24RA	"WILDCAT TOURING SLT"	a/s	AP, PS
X2.3.25RA	"WILDCAT ALL TERRAIN"	a/s, a/t	AP, PS
X2.3.26RA	"WILDCAT RADIAL A/T"	a/s, a/t	AP, PS
X2.3.27RA	"WILDCAT H/T"	r/t	AP, PS
X2.3.28RA	"WILDCAT RADIAL LT"	a/s	AP, PS
X2.3.29RA	"WILDCAT EXT RADIAL LT"	a/t	AP, PS, STC
DEL-NAT TIRE BRANDS (MANUFACTURED BY COOPER):			
X2.26.1RA	"CHAPARRAL A/P"	a/s, a/t	AP, PS
X2.26.2RA	"MUD TRAC"	a/t	AP, PS, STC
X2.26.3RA	"DELTA SIERRADIAL A/T"	a/s	AP, PS
X2.26.4RA	"AKURET-GRIP PLUS"	s/t	AP, PS, STC
X2.26.5RA	"NATIONAL COMMANDO A/T"	a/s	AP, PS
DOMINATOR BRANDS (MANUFACTURED BY COOPER):			
X2.3.31RA	"SPORT A/T"	a/s, a/t	AP, PS
X2.3.32RA	"RADIAL A/T"	a/s, a/t	AP, PS
X2.3.34RA	"RADIAL T/D"	a/s	AP, PS
ELDORADO TIRE BRANDS (MANUFACTURED BY COOPER):			
X2.3.66RA	"ZR1 RADIAL LT "	a/s	AP, PS
X2.3.67RA	"ZR4"	a/s, a/t	AP, PS
X2.3.68RA	"ZRM"	r/t	AP, PS
X2.3.69RA	"ZRT RADIAL LT"	a/t	AP, PS, STC
HERCULES TIRE & RUBBER COMPANY BRANDS (MANUFACTURED BY COOPER):			
X2.3.48RA	"TERRA TRAC TOURING LTD"	a/s	AP, PS
X2.3.49RA	"TERRA TRAC"	a/s, a/t	AP, PS
X2.3.50RA	"ALL TRAC RADIAL A/S"	a/s	AP, PS
X2.3.53RA	"TERRA TRAC RADIAL RIB"	a/s	AP, PS
X2.3.54RA	"MERIT ALL COUNTRY RADIAL A/S"	a/s	AP, PS
MASTERCRAFT BRANDS (MANUFACTURED BY COOPER):			
X2.3.5RA	"COURSER RADIAL LT"	a/s, a/t	AP, PS
X2.3.6RA	"COURSER R/D RADIAL LT"	r/t	AP, PS
X2.3.7RA	"COURSER OTD RADIAL LT"	a/t	AP, PS, STC
X2.3.8RA	"COURSER MT"	a/t	AP, PS, STC
X2.3.10RA	"COURSER C/T"	a/s, a/t	AP, PS
X2.3.35RA	"COURSER A/T"	a/s	AP, PS
X2.3.36RA	"COURSER HTR"	a/s	AP, PS
X2.3.64RA	"COURSER RADIAL STD"	s/t	AP, PS, STC
NOTE: MORE MASTERCRAFT BRANDS, STEEL/STEEL CONSTRUCTION ARE ALSO IN THE NEXT SECTION.			

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

COOPER TIRE & RUBBER COMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-057
- ◆ QUALIFICATION EXPIRATION DATE: 30 JUNE, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
MENTOR BRANDS (MANUFACTURED BY COOPER):			
X2.3.22RA	"DURANGO RADIAL A/T"	a/s	AP, PS
X2.3.23RA	"DURANGO RADIAL M/T"	a/t	AP, PS, STC
X2.3.65RA	"DURANGO RADIAL XTR"	a/s, a/t	AP, PS

PARRISH BRANDS (MANUFACTURED BY COOPER):			
X2.3.60RA	"TACOMA TRAIL A/T"	a/s	AP, PS
X2.3.61RA	"TACOMA TRAIL AWT"	a/s	AP, PS
X2.3.62RA	"TACOMA TRAIL T/E "	a/s	AP, PS
X2.3.63RA	"TACOMA TRAIL M/T"	a/t	AP, PS, STC

PEP BOYS BRANDS (MANUFACTURED BY COOPER):			
X2.3.55RA	"FUTURA DAKOTA LT"	a/s	AP, PS
X2.3.56RA	"FUTURA DAKOTA RVT"	a/s	AP, PS
X2.3.57RA	"FUTURA ADVENTURER LT"	a/s	AP, PS
X2.3.58RA	"FUTURA ADVENTURER RVT"	a/s	AP, PS
X2.3.59RA	"FUTURA ENFORCER MT"	a/t	AP, PS, STC

ROADMASTER BRANDS (MANUFACTURED BY COOPER):			
X2.3.37RA	"RADIAL TE"	a/s	AP, PS
X2.3.38RA	"RADIAL ALL TERRAIN"	a/s, at	AP, PS

STARFIRE BRANDS (MANUFACTURED BY COOPER):			
X2.3.40RA	"TOURING STR "	a/s	AP, PS
X2.3.41RA	"RADIAL A/T "	a/s, a/t	AP, PS

TBC CORPORATION BRANDS (MANUFACTURED BY COOPER):			
X2.3.44RA	"STAMPEDE RADIAL A/T"	a/s	AP, PS
X2.3.45RA	"STAMPEDE RADIAL H/T"	r/t	AP, PS
X2.3.46RA	"STAMPEDE RADIAL A/S"	a/s	AP, PS
X2.3.47RA	"STAMPEDE RADIAL XT"	a/t	AP, PS, STC
X2.3.70RA	"STAMPEDE RADIAL LX"	a/s	AP, PS
X2.3.71RA	"WILD SPIRIT RADIAL RVT"	a/t	AP, PS, STC
X2.3.72RA	"MULTI-MILE WILD COUNTRY RADIAL RVT"	a/t	AP, PS, STC
X2.3.73RA	"MULTI-MILE WILD COUNTRY RADIAL AT"	a/s, a/t	AP, PS
X2.3.74RA	"POWER KING ALL POSITION RADIAL" a/s, a/t		AP, PS
X2.3.75RA	"POWER KING RADIAL RVT"	a/t	AP, PS, STC
X2.3.76RA	"POWER KING TRACTION LT"	a/t, o/o	AP, PS, STC
X2.3.77RA	"POWER KING RADIAL HIGHWAY LT"	r/t	AP, PS

COOPER TIRE & RUBBER COMPANY (STEEL/STEEL CONST.)

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER COMPANY TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-033
- ◆ QUALIFICATION EXPIRATION DATE: 9 MAY, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
COOPER BRANDS:			
X2.3.11RA	"C120 RIB ALL STEEL LT RADIAL"	r/t	AP, SS
X2.3.12RA	"C140 TRACTION ALL STEEL LT RADIAL"	a/s	DA, SS
GIANT BRANDS (MANUFACTURED BY COOPER):			
X2.3.15RA	"R23 RIB ALL STEEL LT RADIAL"	r/t	AP, SS
X2.3.16RA	"R34 TRACTION ALL STEEL LT RADIAL"	a/s	DA, SS

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

THE GOODYEAR TIRE AND RUBBERCOMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-054
- ◆ QUALIFICATION EXPIRATION DATE: 25 February, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
KELLY-SPRINGFIELD BRANDS (MANUFACTURED BY GOODYEAR):			
X2.6.45RA	"Safari"	r/t (rib)	AP, PS
X2.6.46RA	"SAFARI CSR"	r/t	PS, AP
X2.6.47RA	"SAFARI AWR"	a/t	PS, AP, STC
X2.6.48RA	"SAFARI MSR"	a/t, m/s	PS, AP
X2.6.49RA	"SAFARI DTR"	o/o, m/s	PS, AP
X2.6.50RA	"SAFARI HPR"	a/s	PS, AP
X2.6.51RA	"RIDGE RUNNER RADIAL LT"	r/t	PS, AP
X2.6.52RA	"RIDGE RUNNER APR"	a/t	PS, AP, STC
X2.6.53RA	"RIDGE RUNNER M/S"	a/t, m/s	PS, AP
X2.6.54RA	"RIDGE RUNNER D/T"	o/o, m/s	PS, AP
X2.6.55RA	"TRAIL BUSTER RADIAL LSR"	r/t	PS, AP
X2.6.56RA	"TRAIL BUSTER APR"	a/t	PS, AP, STC
X2.6.57RA	"TRAIL BUSTER M/S"	a/t, m/s	PS, AP
X2.6.58RA	"TRAIL BUSTER D/T"	o/o, m/s	AP, PS
X2.6.59RA	"TRAIL MARK RADIAL LT"	r/t	PS, AP
X2.6.60RA	"TRAIL MARK APR"	a/t	PS, AP, STC
X2.6.61RA	"TRAIL MARK M/S"	a/t, m/s	AP, PS
X2.6.62RA	"TRAIL MARK DT "	o/o, m/s	AP, PS
X2.6.63RA	"ROAD REBEL RADIAL LT"	r/t	PS, AP
X2.6.64RA	"TRAIL REBEL APR"	a/t	PS, AP, STC
X2.6.65RA	"ULTRA LT 2000"	a/s	PS, AP
X2.6.66RA	"SUPER SPORT RADIAL LT"	r/t	PS, AP
X2.6.67RA	" SUPER SPORT RADIAL AT"	a/t	PS, AP, STC
X2.6.68RA	" SUPER SPORT RADIAL DT"	a/t, m/s	PS, AP
X2.6.69RA	" SUPER SPORT RADIAL HT"	o/o, m/s	PS, AP
X2.6.70RA	" SUPER SPORT RADIAL HPT"	a/s	PS, AP
KELLY - LARAMIE BRANDS, (MANUFACTURED BY GOODYEAR):			
X2.6.71RA	STEALTH RADIAL H/P	a/s	PS, AP
X2.6.72RA	TRAILBOSS RADIAL H/V	o/o, m/s	PS, AP
X2.6.73RA	TRAIL CUTTER RADIAL R/T	a/t, m/s	PS, AP
X2.6.74RA	TRAIL CUTTER RADIAL A/P	a/t	PS, AP, STC
X2.6.75RA	TRAILBOSS RADIAL LT RIB	r/t	PS, AP
KELLY - SPARTAN BRANDS, RELIABLE , (MANUFACTURED BY GOODYEAR):			
X2.6.76RA	USA *SPORT RADIAL A/T	a/t	PS, AP, STC
X2.6.77RA	USA *SPORT TRAIL XT	a/t, m/s	PS, AP
X2.6.78RA	USA *SPORT MUD XDT	o/o, m/s	PS, AP
KELLY - SUMMIT BRANDS, (MANUFACTURED BY GOODYEAR):			
X2.6.79RA	TRAIL CLIMBER RHR	r/t	PS, AP
X2.6.80RA	TRAIL CLIMBER RADIAL AT	a/t	PS, AP, STC
X2.6.81RA	TRAIL CLIMBER RADIAL CT	a/t, m/s	PS, AP
X2.6.82RA	TRAIL CLIMBER TRACTION HV	o/o, m/s	PS, AP
KELLY - VANDERBILT BRANDS, (MANUFACTURED BY GOODYEAR):			
X2.6.83RA	TURBO-TECH A/T	a/t	PS, AP, STC
X2.6.84RA	TURBO-TECH TUFF STUFF	a/t, m/s	PS, AP
KELLY - WINSTON BRANDS, (MANUFACTURED BY GOODYEAR):			
X2.6.85RA	HI-WAY RADIAL	r/t	PS, AP
X2.6.86RA	WINNER LT	a/t	PS, AP, STC
X2.6.87RA	WINNER M/T	o/o, m/s	PS, AP
KELLY - TBC CORPORATION BRANDS, (MANUFACTURED BY GOODYEAR):			
X2.6.88RA/RB	"WILD COUNTRY RADIAL RVT"	a/s, m/s, (rib)	PS, AP
X2.6.89RA/RB	"POWER KING RADIAL HIGHWAY"	r/t , m/s, (rib)	PS, AP
KELLY - CO-OP BRANDS, (MANUFACTURED BY GOODYEAR):			
X2.6.90RA	COUNTRY SQUIRE RADIAL A/P	a/t	PS, AP, STC
X2.6.91RA	COUNTRY SQUIRE RADIAL RT	a/t, m/s	PS, AP
X2.6.92RA	COUNTRY SQUIRE RADIAL HT	o/o, m/s	PS, AP

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

THE GOODYEAR TIRE AND RUBBERCOMPANY (continued)

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR AND KELLY-SPRINGFIELD MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-054
- ◆ QUALIFICATION EXPIRATION DATE: 25 February, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
KELLY - HERITAGE BRANDS, (MANUFACTURED BY GOODYEAR):			
X.2.6.93RA	TRAIL TRAC RADIAL RXT	a/t	PS, AP, STC
KELLY - JETZON/TELSTAR BRANDS, (MANUFACTURED BY GOODYEAR):			
X.2.6.94RA	REVENGER A/T	a/t	PS, AP, STC
X.2.6.95RA	REVENGER A/P	a/t	PS, AP, STC
X.2.6.96RA	TRAIL CUTTER RADIAL A/P	a/t	PS, AP, STC
X.2.6.97RA	TRAILBOSS RADIAL LT RIB	r/t	PS, AP
X.2.6.98RA	STEALTH RADIAL H/P	a/s	PS, AP
X.2.6.99RA	TRAILBOSS RADIAL H/V	o/o	PS, AP

MICHELIN NORTH AMERICA

BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-030
- ◆ QUALIFICATION EXPIRATION DATE: 22 NOVEMBER, 2004

X2.9.13RA/RB	"ALL WEATHER COMMERCIAL"	a/s, m/s (rib)	PS, AP
X2.9.14RA/RB	"TRAIL T/A"	a/s, m/s (rib)	PS, AP
X2.9.15RA/RB	"EDGE"	r/t (rib)	PS, AP
X2.9.16RA/RB	"RADIAL ALL TERRAIN T/A"	a/t, (lug)	PS, AP
X2.9.17RA/RB	"TRAC EDGE"	a/t (lug)	PS, AP
X2.9.18RA/RB	"RADIAL MUD TERRAIN T/A"	a/t, (lug)	PS, AP
X2.9.19RA/RB	"BAJA T/A"	a/t, (lug)	PS, DA
X2.9.33RA/RB	"COMMERCIAL LT"	a/s	PS, AP
X2.9.34RA/RB	"COMMERCIAL T/A"	a/s	PS, AP
X2.9.35RA/RB	"RADIAL LONG TRAIL T/A"	a/s	PS, AP
X2.9.38RA/RB	"COMMERCIAL T/A TRACTION"	a/s, (lug)	PS, AP

MICHELIN BRANDS:

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-024
- ◆ QUALIFICATION EXPIRATION DATE: 15 JULY, 2004

X2.9.1RA	"XCH4"	a/s	PS, AP
X2.9.3RA	"XC4S"	a/s, m/s (rib)	PS, AP
X2.9.4RA	"LTX M/S"	a/s, m/s (rib)	PS, AP
X2.9.5RA	"LTX A/T"	a/t, (lug)	PS, AP
X2.9.6RA	"LTX A/S"	a/s, m/s (rib)	PS, AP
X2.9.35RA	"XCLT 4"	a/s	PS, AP
X2.9.36RA	"X RADIAL LT"	a/s	PS, AP
X2.9.37RA	"CROSS TERRAIN SUV"	a/s	PS, AP

UNIROYAL BRANDS (MANUFACTURED BY MICHELIN):

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-027
- ◆ QUALIFICATION EXPIRATION DATE: 20 OCTOBER, 2004

X2.9.20RA/RB	"LAREDO ALL SEASON"	a/s (rib)	PS, AP
X2.9.21RA/RB	"LAREDO A/T"	a/t	PS, AP
X2.9.23RA/RB	"LAREDO LTL"	a/t, (lug)	PS, AP
X2.9.24RA/RB	"LAREDO M/T"	a/t, (lug)	PS, AP
X2.9.25RA/RB	"LAREDO LUG"	a/t (lug)	PS, AP
X2.9.26RA/RB	"LAREDO AWT"	a/t, (lug)	PS, AP
X2.9.27RA/RB	"LAREDO RIB"	r/t (rib)	PS, AP
X2.9.28RA/RB	"LAREDO AWP"	a/s (rib)	PS, AP
X2.9.29RA/RB	"LAREDO HD/H NAILGARD"	a/s	PS, AP
X2.9.30RA/RB	"LAREDO HD/H"	a/s	PS, AP
X2.9.31RA/RB	"LAREDO AWR"	a/s	PS, AP
X2.9.32RA/RB	"LAREDO NAILGARD"	a/s	PS, AP
X2.9.39RA/RB	"LAREDO HD/T"	a/t, (lug)	PS, AP
X2.9.40RA/RB	"LAREDO HD/T NAILGARD"	a/t, (lug)	PS, AP

GROUP 2, LIGHT TRUCK: NEW TIRES (continued)

SPECIALTY TIRES OF AMERICA INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL SPECIALTY TIRES OF AMERICA TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-037
- ◆ QUALIFICATION EXPIRATION DATE: 28 JANUARY, 2007
(QUALIFICATION RUN)

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
SPECIALTY BRANDS:			
X2.10.1BA/BB	"SUPER TRANSPORT"	r/t (rib)	N, AP
X2.10.2BA/BB	"SUPER POWER RIB"	r/t (rib)	N, AP
X2.10.3BA/BB	"SUPER TRAXION"	m/s (lug)	N, DA
X2.10.4BA/BB	"HIGHWAY RIB"	r/t (rib)	N, AP
X2.10.5BA/BB	"NON-DIRECTIONAL TREAD"	m/s,d/a (lug)	N, ND, DA
X2.10.6BA/BB	"SUPERLUG-M/S"	m/s (lug)	N, AP

TITAN TIRE CORPORATION

- ◆ QUALIFIED PRODUCTION POINTS: ALL TITAN TIRE CORPORATION MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-023
- ◆ QUALIFICATION EXPIRATION DATE: 22 NOVEMBER, 2004

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
TITAN BRANDS:			
X2.16.2RA/RB	"TT497"	a/s, r/t (rib)	PS, AP

GROUP 2, LIGHT TRUCK: RETREAD TIRES

BANDAG INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL BANDAG RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-007
- ◆ QUALIFICATION EXPIRATION DATE: 11 NOVEMBER, 2003

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BANDAG PRECURE BRANDS:			
Y2.15.5RA/RB	"BRAUNY RV"	a/t	AP, STC
Y2.15.7RA/RB	"COMMERCIAL TRACTION DEEP, MILEDGE SIPES"	o/o	DA, STC
Y2.15.14RA/RB	"ML80"	o/o	STC
Y2.15.15RA/RB	"METROMAX RIB"	a/s	AP, STC
Y2.15.16RA/RB	"METROMAX DRIVE"	a/s	DA, STC
Y2.15.17RA/RB	"AGGRESSIVE TRACTION REPLACEMENT (ATR)"	a/t	DA, STC
Y2.15.18RA/RB	"METROMAX"	a/s, a/t	AP, STC

BANDAMATIC SYSTEM INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL BANDAMATIC RETREAD FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-007
- ◆ QUALIFICATION EXPIRATION: 11 AUGUST, 2003 (OR AS DETERMINED BY NEXT QUALIFICATION TEST)

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BANDAMATIC PRECURE BRANDS:			
Y2.26.1RA/RB	"HBCB"	r/t	AP, PS
Y2.26.2RA/RB	"HBRAPL"	r/t	TO, PS
Y2.26.3RA/RB	"HBHS"	r/t	TO, PS
Y2.26.4RA/RB	"HBS"	r/t	AP, PS
Y2.26.5RA/RB	"HBAR"	r/t	AP, PS
Y2.26.6RA/RB	"HBTC"	d/a	AP,DA,STC
Y2.26.7RA/RB	"HBLT"	d/a	AP,DA,STC
Y2.26.8RA/RB	"HBBR"	d/a	AP,DA,STC
Y2.26.9RA/RB	"CROSSBAR"	d/a	AP,DA,STC

GROUP 2, LIGHT TRUCK: RETREADS (continued)

THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-006
- ◆ QUALIFICATION EXPIRATION DATE: 28 DECEMBER, 2003

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
------------------------	----------------------------	-------	-------

GOODYEAR PRECURE RETREAD METHOD:

Y2.14.1RA/RB	"G159"	r/t	AP
Y2.14.2RA/RB	"G124"	d/a	DA
Y2.14.3RA/RB	"G133"	d/a	AP
Y2.14.4RA/RB	"TD"	d/a	DA
Y2.14.7RA/RB	"WRANGLER A/T"	a/s	AP, STC

MICHELIN NORTH AMERICA, INC., RETREAD PROCESS

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN RETREADERS THAT ARE CPQC CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-045
- ◆ QUALIFICATION EXPIRATION DATE: 7 JANUARY, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
------------------------	----------------------------	-------	-------

MICHELIN PRECURE RETREAD METHOD:

Y3.27.1RA/RB	"ZXE PRE-CURE"	r/t	AP
Y3.27.3RA/RB	"XDA2 23 AT"	d/a	DA
Y3.27.4RA/RB	"XDA2 19 AT"	d/a	DA
Y3.27.5RA/RB	"XDA+ AT"	d/a	DA
Y3.27.6RA/RB	"XT-1 AT"	t/o	TO
Y3.27.7RA/RB	"XTA-1"	t/o	TO
Y3.27.8RA/RB	"XZA"	r/t	AP
Y3.27.9RA/RB	"XZE"	r/t	AP
Y3.27.10RA/RB	"XM+S4"	m/s	AP
Y3.27.11RA/RB	"XDC 22"	d/a	DA
Y3.27.12RA/RB	"XDC 18"	d/a	DA
Y3.27.13RA/RB	"XDHT"	d/a	DA
Y3.27.14RA/RB	"XD4"	d/a	DA
Y3.27.15RA/RB	"XDN"	s/t	STC
Y3.27.16RA/RB	"XDS"	s/t	STC
Y3.27.17RA/RB	"XZY"	o/o	AP
Y3.27.18RA/RB	"XZY-1"	o/o	AP
Y3.27.19RA/RB	"XDY"	o/o	AP
Y3.27.20RA/RB	"XDY-1"	o/o	AP
Y3.27.21RA/RB	"XTE2"	t/o	TO
Y3.27.22RA/RB	"XZH"	o/o	AP
Y3.27.231RA/RB	"XZE SA"	t/o	TO
Y3.27.24RA/RB	"XDA HT"	d/a	DA
Y3.27.251RA/RB	"XDE M/S"	m/s	AP

MICHELIN MOLD-CURE RETREAD METHOD:

Y3.27.2RA/RB	"ZXE MOLD-CURE"	r/t	AP
Y3.27.26RA/RB	"XDA2 AT"	d/a	DA
Y3.27.27RA/RB	"XT-1 AT"	t/o	TO
Y3.27.28RA/RB	"XDHT"	d/a	DA
Y3.27.29RA/RB	"XDN"	s/t	STC
Y3.27.30RA/RB	"XTA-1"	t/o	TO
Y3.27.31RA/RB	"XZA"	r/t	AP
Y3.27.32RA/RB	"XZE"	r/t	AP

GROUP 2, LIGHT TRUCK: RETREAD TIRES (cont.)

OLIVER RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL OLIVER RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-008
- ◆ QUALIFICATION EXPIRATION DATE: 1 FEBRUARY, 2004

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
OLIVER BRANDS, PRECURE RETREAD METHOD:			
Y2.13.1BA/BB	"REV-TRAC"	a/s	AP
Y2.13.2BA/BB	"SUPER TRACTION"	d/a	DA, STC
Y2.13.3BA/BB	"HIGHWAY HPC"	r/t	AP
Y2.13.4BA/BB	"REV-TRED"	r/t	AP
Y2.13.5BA/BB	"REV-LUG"	a/s	AP
Y2.13.6RA/RB	"REV-TRAC"	a/s	AP
Y2.13.7RA/RB	"SUPER TRACTION"	d/a	DA, STC
Y2.13.8RA/RB	"HIGHWAY HPC"	r/t	AP
Y2.13.9RA/RB	"REV-TRED"	r/t	AP
Y2.13.10RA/RB	"REV-LUG"	a/s	AP

GROUP 2, LIGHT TRUCK: PURSUIT & EMERGENCY HIGH SPEED TIRES

DUNLOP TIRE CORPORATION

- ◆ TEST QUALIFICATION REFERENCE: ECE-30
- ◆ QUALIFICATION EXPIRATION DATE: N/A
- ◆ CONSULT TIRE MANUFACTURER FOR LOAD RANGE CAPABILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES	QUALIFIED SIZES
DUNLOP BRANDS:				
X2.4.1RA	"SPORT ROVER"	a/s	AP, PSN PEHS, SR-H	31X10.50R15 30X 9.50R15

GROUP 3, TRUCK & BUS: NEW TIRES

BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL BRIDGESTONE/FIRESTONE CORP. TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-009
- ◆ QUALIFICATION EXPIRATION DATE: 12 JANUARY, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BRIDGESTONE RADIAL BRANDS:			
X3.2.1RA	"R187"	r/t	AP, SS
X3.2.2RA/RB	"R180"	r/t	AP, SS
X3.2.3RA/RB	"R184"	r/t	AP, SS, LP
X3.2.4RA/RB	"R194"	t/o	SS
X3.2.5RA/RB	"L317"	o/o	DA, SS
X3.2.7RA/RB	"R293"	r/t	AP, SS
X3.2.8RA/RB	"R294"	r/t	AP, SS, LP
X3.2.9RA/RB	"R299"	r/t	AP, SS, LP
X3.2.10RA/RB	"M711"	d/a	DA, SS, STC
X3.2.11RA/RB	"M716"	d/a	DA, SS, STC
X3.2.12RA/RB	"M726"	a/t	DA, SS
X3.2.13RA/RB	"M843"	o/o	DA, SS
X3.2.14RA/RB	"M844"	o/o	DA, SS
X3.2.15RA/RB	"M857"	o/o	DA, SS, STC
X3.2.16RA/RB	"R226"	r/t	AP, SS
X3.2.17RA/RB	"R250"	r/t	AP, SS
X3.2.18RA/RB	"L312"	o/o	DA, SS
X3.2.19RA/RB	"M724"	d/a	DA, SS
X2.20RA/RB	"R227"	r/t	AP, SS
X3.2.21RA/RB	"R196"	t/o	TO, SS
X3.2.22RA/RB	"M720"	d/a	DA, SS
X3.2.23RA/RB	"M840"	o/o	AP, SS
X3.2.24RA/RB	"M774"	o/o	DA, SS
X3.2.52RA/RB	"R270"	a/s	AP, SS, LP
X3.2.53RA/RB	"R296"	o/o	AP, SS
X3.2.60RA/RB	"R195"	t/o	SS
X3.2.61RA/RB	"M925"	a/t	DA, SS
FIRESTONE RADIAL BRANDS:			
X3.2.25RA/RB	"XR4"	r/t	AP, SS
X3.2.31RA/RB	"HP 3000"	r/t	AP, SS
X3.2.32RA/RB	"PSD 3000"	d/a	DA, SS, STC
X3.2.34RA/RB	"T-831"	o/o	DA, SS
X3.2.35RA/RB	"UT2000"	o/o	DA, SS
X3.2.37RA/RB	"T823"	a/t	DA, SS
X3.2.38RA/RB	"T559"	a/t	DA, SS
X3.2.40RA/RB	"T575"	r/t	AP, SS
X3.2.41RA/RB	"HEAVY DUTY TRANSPORT"	r/t	DA, SS
X3.2.42RA/RB	"TRANSPORT"	r/t	AP, SS
X3.2.43RA/RB	"HP 2000"	r/t	AP, SS
X3.2.44RA/RB	"FS 507"	r/t	AP, SS
X3.2.45RA/RB	"FD 663"	d/a	DA, SS
X3.2.46RA/RB	"FT 455"	r/t	AP, SS
X3.2.47RA/RB	"T839"	r/t	AP, SS
X3.2.48RA/RB	"T819"	o/o	AP, SS
X3.2.49RA/RB	"T546"	d/a	DA, SS
X3.2.50RA/RB	"FS567"	r/t	AP, SS
X3.2.51RA/RB	"FS590"	r/t	AP, SS
X3.2.59RA/RB	"FS560"	r/t	AP, SS
FIRESTONE BIAS BRANDS:			
◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-032			
◆ QUALIFICATION EXPIRATION DATE: 1 APRIL, 2006			
X3.2.20BA/BB	"TRANSPORT 1"	r/t	AP, N
X3.2.54BA/BB	"POWER DRIVE"	d/a	DA, N
X3.2.55BA/BB	"TRANSPORT DUPLEX"	r/t	AP, N
X3.2.56BA/BB	"SUPER ALL TRACTION DUPLEX"	d/a	DA, N
X3.2.57BA/BB	"RIB DUPLEX"	r/t	AP, N
X3.2.58BA/BB	"SUPER ALL TRACTION/ND"	o/o	DA, N

GROUP 3, TRUCK & BUS: NEW TIRES (continued)

CONTINENTAL GENERAL BRANDS

- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-029
- ◆ QUALIFICATION EXPIRATION DATE: 15 DECEMBER, 2005
- ◆ QUALIFIED PRODUCTION POINTS: ALL CONTINENTAL/GENERAL TIRE MANUFACTURING FACILITIES

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
GENERAL BRANDS:			
X3.5.7RA/RB	"AMERI*STEEL"	r/t (rib)	SS, AP
X3.5.8RA/RB	"AMERI*LUG"	d/a (lug)	SS, DA
X3.5.9RA/RB	"AMERI*LUG MS"	d/a (lug)	SS, DA, STC
X3.5.10RA	"AMERI*LP 70"	r/t (rib)	SS, AP
X3.5.11RA/RB	"AMERI*MSL"	o/o (rib)	SS, DA, STC
X3.5.12RA/RB	"AMERI*LUG DT"	o/o (lug)	SS, DA, STC
X3.5.13RA/RB	"AMERI*LUG DT WHS"	o/o (lug)	SS/N, DA, STC
X3.5.19RA	"AMERI*SD 400"	r/t (rib)	SS, AP
X3.5.20RA/RB	"AMERI*STEEL LPT"	r/t (rib)	SS, TO
X3.5.24RA	"GENERAL S370"	r/t (rib)	SS, AP
X3.5.25RA	"S380 AS"	r/t (rib)	SS, AP
X3.5.26RA	"D450"	d/a (lug)	SS, DA, STC
X3.5.27RA	"D460"	d/a (rib)	SS, DA, STC
X3.5.50RA/RB	"GENERAL RIB ST"	t/o (rib)	SS, TO
X3.5.51RA/RB	"GENERAL LMT 400"	r/t, a/s (rib)	SS, AP
X3.5.52RA/RB	"GENERAL LMT 460"	a/t, a/s, o/o (rib)	SS, AP
CONTINENTAL BRANDS:			
X3.5.28RA/RB	"HS 41"	r/t (rib)	SS, AP
X3.5.29RA/RB	"HC 51"	o/o (rib)	SS, AP
X3.5.30RA/RB	"HC 53"	o/o (rib)	SS, AP
X3.5.31RA/RB	"HS 62 "	t/o (rib)	SS, TO
X3.5.32RA/RB	"HS 65"	r/t (rib)	SS, AP
X3.5.35RA/RB	"RS 415 N"	r/t (rib)	SS, AP
X3.5.37RA/RB	"RS 416"	r/t (rib)	SS, AP
X3.5.38RA/RB	"RS 415"	r/t (rib)	SS, AP
X3.5.39RA/RB	"HD 70"	d/a (lug)	SS, DA
X3.5.40RA/RB	"HD 75"	d/a (lug)	SS, DA, STC
X3.5.46RA/RB	"HMS 45"	o/o (rib)	SS, AP
X3.5.47RA/RB	"HT 63"	r/t (rib)	SS, AP
X3.5.48RA/RB	"HC 65"	o/o (lug)	SS, AP
X3.5.49RA/RB	"HS 45"	r/t (rib)	SS, AP
X3.5.53RA/RB	"HSR"	r/t (rib)	SS, AP
X3.5.54RA/RB	"HDL"	d/a (lug)	SS, DA, STC
X3.5.55RA/RB	"HSL"	r/t (rib)	SS, AP
X3.5.56RA/RB	"HTR"	r/t (rib)	SS, AP
X3.5.57RA/RB	"HTC"	o/o (lug)	SS, AP
X3.5.58RA/RB	"HSC"	o/o (lug)	SS, AP
X3.5.59RA/RB	"HMS 45+"	o/o (lug)	SS, AP
X3.5.60RA/RB	"HSR1"	r/t (rib)	SS, AP
X3.5.61RA/RB	"HDC"	r/t (rib)	SS, AP
X3.5.62RA	"HDR"	d/a (drive axle, lug)	SS, DA

GROUP 3, TRUCK & BUS: NEW TIRES (continued)

COOPER TIRE & RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL COOPER TIRE & RUBBER CO. TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-018
- ◆ QUALIFICATION EXPIRATION DATE: 6 MAY, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
COOPER RADIAL BRANDS:			
X3.3.7RA/RB	"CXMT 340A"	r/t (rib)	AP, SS
X3.3.8RA/RB	"CXMT 320"	r/t (rib)	AP, SS
X3.3.9RA/RB	"CXML 440"	d/a, m/s (lug)	DA, SS, STC
X3.3.10RA/RB	"CT 240"	t/o (rib)	SS, TO
X3.3.11RA/RB	"CSD 444"	d/a (lug)	SS, DA, STC
GIANT RADIAL BRANDS (MANUFACTURED BY COOPER):			
X3.3.17RA/RB	"R 35"	r/t (rib)	AP, SS
X3.3.18RA/RB	"R 85"	d/a, m/s (lug)	DA, SS, STC
X3.3.19RA/RB	"R 25"	t/o (rib)	SS, TO
X3.3.20RA/RB	"R 45A"	r/t (rib)	AP, SS
MASTERCRAFT RADIAL BRANDS (MANUFACTURED BY COOPER):			
X3.3.12RA/RB	"M 420"	r/t (rib)	AP, SS
X3.3.13RA/RB	"M 611"	d/a, m/s (lug)	DA, SS, STC
X3.3.14RA/RB	"M 411"	t/o (rib)	SS, TO
X3.3.15RA/RB	"M 511A"	r/t (rib)	AP, SS
X3.3.16RA/RB	"M 628"	d/a (lug)	DA, SS

THE GOODYEAR TIRE & RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR TIRE & RUBBER COMPANY MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-017
- ◆ QUALIFICATION EXPIRATION DATE: 26 MARCH, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
GOODYEAR BRANDS:			
X3.6.6RA/RB	"UNISTEEL 362"	d/a (lug)	SS,DA,STC
X3.6.8RA/RB	"UNISTEEL G-167"	d/a (lug)	SS,DA,LP,STC
X3.6.9RA/RB	"UNISTEEL G159"	r/t (rib)	SS,AP
X3.6.10RA/RB	"UNISTEEL G114"	t/o (rib)	SS,TO,LP
X3.6.11RA/RB	"UNISTEEL G124"	d/a (lug)	SS, DA, STC
X3.6.12RA/RB	"UNISTEEL G186"	o/o (rib)	SS, AP, STC
X3.6.13RA/RB	"UNISTEEL G286"	o/o (rib)	SS, AP, STC
X3.6.14RA/RB	"UNISTEEL G244"	o/o (lug)	SS, AP, STC
X3.6.19RA/RB	"UNISTEEL G328"	d/a (lug)	SS, DA, STC
X3.6.20RA/RB	"UNISTEEL G314"	t/o (rib)	SS, TO
X3.6.21RA/RB	"UNISTEEL G291"	r/t (rib)	SS, AP
X3.6.22RA/RB	"UNISTEEL G177"	o/o (lug)	SS, DA
X3.6.23RA/RB	"UNISTEEL G286 SS"	o/o (rib)	SS, AP, STC
X3.6.25RA/RB	"UNISTEEL G178 SS"	o/o (lug)	SS, DA, STC
X3.6.26RA/RB	"MV/T"	o/o (lug)	SS, AP, STC
X3.6.27RA/RB	"TRACTION HM"	r/t	SS, AP
X3.6.29RA	"UNISTEEL G357"	r/t (rib)	SS, AP
X3.6.30RA/RB	"UNISTEEL G167A"	d/a (lug)	SS, DA, LP, STC
X3.6.31RA/RB	"UNISTEEL G159A"	r/t (rib)	SS, AP
X3.6.32RA/RB	"UNISTEEL G132"	r/t (rib)	SS, AP
X3.6.33RA/RB	"UE LP"	r/t (rib)	SS, AP
X3.6.34RA/RB	"UNISTEEL G391"	r/t (rib)	SS, AP
X3.6.35RA/RB	"UNISTEEL G302"	d/a (lug)	SS, DA
X3.6.36RA/RB	"UNISTEEL G386"	r/t (rib)	SS, AP
X3.6.37RA/RB	"UNISTEEL 164"	r/t (rib)	SS, AP
X3.6.38RA/RB	"UNISTEEL G647"	r/t (rib)	SS, AP
X3.6.39RA/RB	"UNISTEEL G149"	r/t (rib)	SS, AP
X3.6.40RA/RB	"UNISTEEL G372"	r/t (rib)	SS, AP

GROUP 3, TRUCK & BUS: NEW TIRES (continued)

KELLY-SPRINGFIELD BRANDS

- ◆ QUALIFIED PRODUCTION POINTS: ALL KELLY-SPRINGFIELD TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-025
- ◆ QUALIFICATION EXPIRATION DATE: 28 JULY, 2005.

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
KELLY-SPRINGFIELD BRANDS:			
X3.8.1RA/RB	"ARMORSTEEL KSA"	r/t	SS, AP, LP
X3.8.2RA	"ARMORSTEEL KRM-F"	o/o	SS, AP, LP
X3.8.3RA/RB	"ARMORSTEEL KRM"	o/o	SS, AP, STC
X3.8.4RA	"ARMORSTEEL KDA"	d/a	SS, DA, STC, LP
X3.8.5RA	"ARMORSTEEL KSR-LP"	r/t	SS, AP, LP
X3.8.6RA	"ARMORSTEEL KDM-LP"	d/a	SS, DA, LP, STC
X3.8.7RA	"ARMORSTEEL KTS"	t/o	SS, TO, LP
X3.8.8RA	"ARMORSTEEL KSR-F"	r/t	SS, AP, LP
X3.8.9RA	"ARMORSTEEL KLH-LP"	r/t	SS, AP, LP
X3.8.10RA/RB	"ARMORSTEEL KLH-F"	r/t	SS, AP, LP
X3.8.11RA/RB	"ARMORSTEEL KDM-F"	d/a	SS, DA, STC
X3.8.12RA/RB	"ARMORSTEEL KTM"	o/o	SS, DA, STC
X3.8.13RA/RB	"ARMORSTEEL KTM-F"	o/o	SS, DA, STC
X3.8.14RA	"ARMORSTEEL KSE"	r/t	SS, AP, LP
X3.8.15RA	"ARMORSTEEL K TSA"	t/o	SS, TO, LP
X3.8.16RA/RB	"STEELMARK AHE"	r/t	SS, AP
X3.8.17RA/RB	"STEELMARK ASH"	o/o	SS, AP, STC
X3.8.18RA	"STEELMARK AHR"	r/t	SS, AP
X3.8.19RA/RB	"STEELMARK ADP"	d/a	SS, DA, STC
X3.8.20RA	"STEELMARK AHT"	t/o	SS, TO
X3.8.21RA	"STEELMARK AHT-F"	t/o	SS, TO
X3.8.22RA/RB	"STEELMARK AHP"	r/t	SS, AP
X3.8.23RA/RB	"STEELMARK ASD"	o/o	SS, DA, STC
X3.8.24RA/RB	"ROADMARK PREMIUM HIGHWAY RADIAL"	r/t	SS, AP, LP
X3.8.25RA/RB	"ROADMARK PREMIUM DRIVE RADIAL"	d/a	SS, DA, LP, STC
X3.8.26RA/RB	"ROADMARK TRAILER SERVICE RADIAL"	t/o	SS, TO, LP

MICHELIN NORTH AMERICA

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
------------------------	----------------------------	-------	-------

BF GOODRICH BRANDS (MANUFACTURED BY MICHELIN):

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: 7CA-95057-96M3
- ◆ QUALIFICATION EXPIRATION DATE: 1 JANUARY, 2004

X3.9.51RA/RB	"REGIONAL RIB"	r/t, (rib)	SS, AP
X3.9.52RA/RB	"ST234"	r/t, (rib)	SS, AP
X3.9.53RA/RB	"REGIONAL LUG"	d/a, m/s, (lug)	SS, DA, STC
X3.9.54RA/RB	"DR434"	d/a, m/s, (lug)	SS, DA, STC
X3.9.56RA/RB	"TR134"	t/o, (rib)	SS, T/O
X39.63RA/RB	"ST220"	r/t, (rib)	SS, AP
X39.64RA/RB	"ST230"	r/t, (rib)	SS, AP
X39.65RA/RB	"ST565"	o/o, r/t, (rib)	SS, AP
X39.66RA/RB	"DR665"	o/o, m/s, (lug)	SS, DA, STC

GROUP 3, TRUCK & BUS: NEW TIRES (continued)

MICHELIN NORTH AMERICA (continued)

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
MICHELIN BRANDS:			
◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN AMERICAS TIRE MANUFACTURING FACILITIES			
◆ TEST QUALIFICATION REFERENCE: 7CA-95057-96M3			
◆ QUALIFICATION EXPIRATION DATE: JANUARY 1, 2004			
X3.9.1RA/RB	"XZA"	r/t, (rib)	SS, AP
X3.9.2RA/RB	"XZA-1"	r/t, (rib)	SS, AP
X3.9.4RA/RB	"XM+S4"	d/a, m/s, s/t, (lug)	SS, DA, STC
X3.9.6RA/RB	"XZY"	o/o, r/t, (rib)	SS, AP
X3.9.11RA/RB	"PILOT XDU"	d/a, m/s, (lug)	SS, DA, STC
X3.9.12RA/RB	"XDL"	o/o, o/o/s, (lug)	SS, DA
X3.9.13RA/RB	"PILOT XZA"	r/t, (rib)	SS, AP
X3.9.14RA/RB	"XDHT"	d/a, m/s, (lug)	SS, DA, STC
X3.9.17RA/RB	"XTA"	t/o, (rib)	SS, TPO
X3.9.20RA/RB	"XL"	o/o, o/o/s, (lug)	SS, AP
X3.9.25RA/RB	"XDA+"	d/a, m/s, (lug)	SS, DA, STC
X3.9.27RA/RB	"XZU"	r/t, (rib)	SS, AP
X3.9.28RA/RB	"XZU2"	r/t, (rib)	SS, AP
X3.9.29RA/RB	"XZT"	d/a, m/s, (lug)	SS, DA, STC
X3.9.33RA/RB	"XML"(MILITARY)	o/o, o/o/s, (lug)	SS, AP, ND
X3.9.34RA/RB	"XZL"(MILITARY)	o/o, o/o/s, (lug)	SS, AP, ND
X3.9.35RA/RB	"XS"	o/o, o/o/s, (lug)	SS, AP, ND
X3.9.36RA/RB	"XZY-1"	o/o, r/t, (rib)	SS, AP
X3.9.37RA/RB	"PILOT XDY"	o/o, m/s, (lug)	SS, DA
X3.9.38RA/RB	"XDY-1"	o/o, m/s, (lug)	SS, DA, STC
X3.9.41RA/RB	"XT-1"	t/o, (rib)	SS, TO
X3.9.43RA/RB	"XZA-1+"	r/t, (rib)	SS, AP
X3.9.44RA/RB	"PILOT XZA-1+"	r/t, (rib)	SS, AP
X3.9.45RA/RB	"XZZ"	t/o, (rib)	SS, TO
X3.9.46RA/RB	"XZE"	r/t, (rib)	SS, AP
X3.9.47RA/RB	"XZA 2"	r/t, (rib)	SS, AP
X3.9.49RA/RB	"XDA 2"	d/a, m/s, (lug)	SS, DA, STC
X3.9.57RA/RB	"XZE*"	r/t, o/o, (rib)	SS, AP
X3.9.58RA/RB	"XDE1"	d/a, m/s, (lug)	SS, DA, STC
X3.9.59RA/RB	"XD4"	d/a, m/s, (lug)	SS, DA, STC
X3.9.60RA/RB	"XDN"	s/t, d/a, m/s, (lug)	SS, DA, STC
X3.9.61RA/RB	"ENEGY XTA"	t/o, (rib)	SS, TO
X3.9.62RA/RB	"XZE1"	r/t, (rib)	SS, AP
X3.9.67RA/RB	"XZ2"	r/t, (rib)	SS, AP
X3.9.68RA/RB	"XRV"	r/t, (rib)	SS, AP
X3.9.69RA/RB	"XD2"	d/a, (lug)	SS, DA
X3.9.70RA/RB	"XDU"	d/a, (lug)	SS, DA, LP
X3.9.71RA/RB	"XDE AT"	o/o, m/s, a/t, d/a, (lug)	SS, DA
X3.9.72RA/RB	"XDE M/S"	o/o, a/t, d/a, (lug)	SS, DA, ND
X3.9.73RA/RB	"XDA-HT"	o/o, a/t, d/a, (lug)	SS, DA, ND
X3.9.74RA/RB	"XDS"	o/o, s/t, d/a, (lug)	SS, DA, STC

SPECIALTY TIRES OF AMERICA INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL SPECIALTY TIRES OF AMERICA TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-039
- ◆ QUALIFICATION EXPIRATION DATE: 30 MARCH, 2007
(QUALIFICATION RUN)

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
SPECIALTY BRANDS:			
X3.10.1BB	"SUPER TRANSPORT"	r/t, (rib)	N, AP
X3.10.2BB	"SUPER LUG"	d/a, (lug)	N, DA, STC
X3.10.3BB	"NON-DIRECTIONAL M&S"	d/a, (lug)	N, DA, STC

GROUP 3, TRUCK & BUS: NEW TIRES (continued)

YOKOHAMA TIRE CORPORATION

- ◆ QUALIFIED PRODUCTION POINTS: ALL YOKOHAMA TIRE QUALIFIED TIRE MANUFACTURING FACILITIES
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-003
- ◆ QUALIFICATION EXPIRATION DATE: 21 OCTOBER, 2004

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
YOKOHAMA BRANDS:			
X3.12.2RA/RB	"Y785R"	r/t	SS, AP
X3.12.3RA/RB	"Y773"	o/o	SS, DA, STC
X3.12.4RA/RB	"LY053"	o/o	SS, DA
X3.12.5RA/RB	"Y713B"	d/a	SS, DA, STC
X3.12.11RA/RB	"RY103"	r/t	SS, AP
X3.12.12RA/RB	"TY303"	d/a	SS, DA,STC
X3.12.13RA/RB	"RY083A"	r/t	SS, AP
X3.12.15RA/RB	"TY517"	d/a	SS, DA, STC
X3.12.16RA/RB	"RY112A"	t/o	SS, TO
X3.12.18RA/RB	"RYO23"	r/t	SS, AP
X3.12.19RA/RB	"RY253"	r/t	SS, AP
X3.12.20RA/RB	"RY567"	r/t	SS, AP
X3.12.21RA/RB	"RY637"	r/t	SS, AP
X3.12.22RA/RB	"RY587"	t/o	SS, TO
X3.12.23RA/RB	"MY243"	o/o	SS, AP
X3.12.24RA/RB	"MY507"	o/o	SS, AP
X3.12.25RA/RB	"TY527"	d/a	SS, DA,STC
X3.12.26RA/RB	"MY507A"	o/o	SS, AP
X3.12.27RA/RB	"TY577"	d/a	SS, DA,STC

GROUP 3, TRUCK & BUS: RETREAD TIRES

BANDAG INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL BANDAG RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-026
- ◆ QUALIFICATION EXPIRATION DATE: 21 SEPTEMBER, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BANDAG PRECURE RETREAD METHOD:			
Y3.15.1RA/RB	"ML 70"	d/a	SS, DA
Y3.15.5RA/RB	"T 4100 W/MILEDGES"	t/o	SS, TO
Y3.15.6RA/RB	"HISPEED"	t/o	SS, TO
Y3.15.13RA/RB	"HIGHWAY"	r/t	SS, AP
Y3.15.14RA/RB	"HIGHWAY W/MILEDGES"	r/t	SS, AP
Y3.15.17RA/RB	"RIB LOGGER"	o/o	SS, DA
Y3.15.18RA/RB	"D 4300"	d/a	SS, DA,STC
Y3.15.19RA/RB	"D 4310 REGULAR"	d/a	SS, DA, STC
Y3.15.20RA/RB	"D 4310 DEEP"	d/a	SS, DA
Y3.15.21RA/RB	"LUG LOGGER REGULAR"	o/o	SS, DA
Y3.15.22RA/RB	"LUG LOGGER DEEP"	o/o	SS, DA
Y3.15.23RA/RB	"LUG LOGGER EXTRA DEEP"	o/o	SS, DA, STC
Y3.15.24RA/RB	"W H RIB"	o/o	SS, DA
Y3.15.25RA/RB	"W H LUG"	o/o	SS, DA, STC
Y3.15.31RA/RB	"COMMERCIAL TRACTION DEEP"	d/a	SS, DA
Y3.15.32RA/RB	"COMMERCIAL TRACTION DEEP W/MILEDGES"	d/a	SS, DA
Y3.15.33RA/RB	"GRIPPER"	d/a	SS, DA, STC
Y3.15.35RA/RB	"DRIVE TRAC"	d/a	SS, DA
Y3.15.42RA/RB	"WIDE BASE RIB"	r/t	SS, AP
Y3.15.43RA/RB	"WIDE BASE LUG"	o/o	SS, DA
Y3.15.45RA/RB	"WBXL"	o/o	SS, DA
Y3.15.46RA/RB	"GRADER"	o/o	SS, DA

GROUP 3, TRUCK & BUS: RETREADS (continued)**BANDAG INCORPORATED (CONTINUED)**

- ◆ QUALIFIED PRODUCTION POINTS: ALL BANDAG RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-026
- ◆ QUALIFICATION EXPIRATION DATE: 21 SEPTEMBER, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BANDAG PRECURE RETREAD METHOD (continued):			
Y3.15.50BA/BB	"OMNI BUS"	r/t	SS, AP
Y3.15.55RA/RB	"ECL TRAILER"	t/o	SS, TO
Y3.15.56RA/RB	"ECL TRAILER W/MILEEDGE"	t/o	SS, TO
Y3.15.57RA/RB	"ECL M&S"	d/a	SS, DA, STC
Y3.15.58RA/RB	"ECL SST"	t/o	SS, TO
Y3.15.69RA/RB	"ECL SSD"	o/o	SS, DA
Y3.15.60RA/RB	"ECL STM"	o/o	SS, TO
Y3.15.61RA/RB	"DEEP RIB"	r/t	SS, AP
Y3.15.62RA/RB	"DEEP DRIVE"	d/a	SS, DA, STC
Y3.15.63RA/RB	"AGGRESSIVE TRACTION REPLACEMENT (ATR)"	d/a	SS, DA, STC
Y3.15.64RA/RB	"FCR-D"	d/a	DA, SS
Y3.15.65RA/RB	"FCR-T"	t/o	SS, TO
Y3.15.66RA/RB	"FCR-R"	r/t	SS, AP
Y3.15.67RA/RB	"WBD-A"	o/o	SS, AP
Y3.15.68RA/RB	"WBSS"	o/o	DA, SS

BANDAMATIC SYSTEM INCORPORATED

- ◆ QUALIFIED PRODUCTION POINTS: ALL BANAMATIC SYSTEM INCORPORATED RETREAD TIRE FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-038
- ◆ QUALIFICATION EXPIRATION DATE: 16 JANUARY, 2007

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
BANDAMATIC SYSTEM, PRECURE RETREAD METHOD:			
Y3.26.1RA/RB	"BANDAMATIC PRECURE"	r/t	AP
Y3.26.2RA/RB	"HBCB"	r/t	SS,AP
Y3.26.3RA/RB	"HBHS"	r/t	SS, TO
Y3.26.4RA/RB	"HBGAP"	r/t	SS, TO
Y3.26.5RA/RB	"HBRAP"	r/t	SS,AP
Y3.26.6RA/RB	"HBRAP-L"	r/t	SS, TO
Y3.26.7RA/RB	"HBBAP"	r/t	SS,AP
Y3.26.8RA/RB	"HBBAPM"	r/t	SS,AP
Y3.26.9RA/RB	"HBMAP"	r/t	SS,AP
Y3.26.10RA/RB	"HBS"	r/t	SS,AP
Y3.26.11RA/RB	"HBCR"	r/t	SS,AP
Y3.26.12RA/RB	"HBSA"	r/t	SS,AP
Y3.26.13RA/RB	"HBSAM"	r/t	SS,AP
Y3.26.14RA/RB	"HBAR"	r/t	SS, AP
Y3.26.15RA/RB	"HBTC"	d/a	SS, DA,STC
Y3.26.16RA/RB	"HBLT"	d/a	SS,DA,STC
Y3.26.17RA/RB	"HBBR"	d/a	SS,DA,STC
Y3.26.18RA/RB	"HBGT"	d/a	SS,DA,STC
Y3.26.19RA/RB	"HBBTM"	d/a	SS,DA,STC
Y3.26.202RA/RB	"HBMT"	d/a	SS,DA,STC
Y3.26.21RA/RB	"HBBT"	d/a	SS,DA,STC
Y3.26.22RA/RB	"HBRT"	d/a	SS,DA,STC
Y3.26.23RA/RB	"HBMTM"	d/a	SS,DA,STC
Y3.26.24RA/RB	"CROSSBAR"	d/a	SS,DA,STC
Y3.26.25RA/RB	"HBLL"	d/a	SS,DA,STC
Y3.26.26RA/RB	"HBWH"	d/a	SS,DA,STC
Y3.26.27RA/RB	"HBML"	d/a	SS,DA,STC
Y3.26.28RA/RB	"HBDL"	d/a	SS,DA,STC
Y3.26.29RA/RB	"HBWHR "	r/t	SS,AP
Y3.26.30RA/RB	"GRIPPER"	d/a	SS,DA,STC
Y3.26.31RA/RB	"HBWB "	d/a	SS,DA,STC
Y3.26.32RA/RB	"HBWW"	d/a	SS,DA,STC

GROUP 3, TRUCK & BUS: RETREADS (continued)

THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREADERS THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-048
- ◆ QUALIFICATION EXPIRATION DATE: 25 OCTOBER, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
GOODYEAR PRECURE RETREAD METHOD:			
Y3.14.3RA/RB	"G159TG HS 2015T"	t/o	TO
Y3.14.4RA/RB	"G159 2015T"	r/t	AP
Y3.14.6RA/RB	"G167 2015T"	d/a	DA
Y3.14.8RA/RB	"G124 2015T"	d/a	DA, STC
Y3.14.12RA/RB	"G328 2015T"	d/a	DA, STC
Y3.14.13RA/RB	"G302 2015T"	d/a	DA
Y3.14.14RA/RB	"G314 2015T"	t/o	TO
Y3.14.15RA/RB	"G177 M 2015T"	o/o	DA, STC
Y3.14.16RA/RB	"G178 SS"	o/o	DA, STC
Y3.14.17RA/RB	"G362"	d/a	DA
X3.14.45RA/RB	"G119 2015T"	r/t	AP
X3.14.46RA/RB	"G124 2015T"	r/t	AP
X3.14.47RA/RB	"G143 2015T"	r/t	AP
X3.14.48RA/RB	"G143DT 2015T"	r/t	AP
X3.14.49RA/RB	"G178 2015T"	r/t	AP
X3.14.50RA/RB	"G186 2015T"	r/t	AP
X3.14.51RA/RB	"G244 2015T"	r/t	AP
X3.14.52RA/RB	"G286 2015T"	r/t	AP
X3.14.53RA/RB	"G302A 2015T"	r/t	AP
X3.14.54RA/RB	"G338 2015T"	r/t	AP
X3.14.55RA/RB	"G362 2015T"	r/t	AP
X3.14.56RA/RB	"G372 2015T"	r/t	AP
X3.14.57RA/RB	"G603 2015T"	r/t	AP
X3.14.58RA/RB	"G622 2015T"	r/t	AP
X3.14.59RA/RB	"G159HS 2015T"	r/t	TO
X3.14.60RA/RB	"G647"	r/t	AP

GOODYEAR ULTIMA PRECURE RETREAD METHOD:

- ◆ QUALIFIED PRODUCTION POINTS: ALL GOODYEAR RETREADERS THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-1/98-044 AND 048
- ◆ QUALIFICATION EXPIRATION DATE: 25 OCTOBER, 2008

X3.14.19RA/RB	"ULTIMA RADIAL"	r/t	TO
X3.14.20RA/RB	"ULTIMA SUPER XZ"	r/t	TO
X3.14.21RA/RB	"ULTIMA HIGHWAY"	r/t	TO
X3.14.22RA/RB	"ULTIMA LCT"	r/t	TO
X3.14.23RA/RB	"ULTIMA HM CS-2"	r/t	TO
X3.14.24RA/RB	"ULTIMA RADIAL SPECIAL 12"	r/t	TO
X3.14.25RA/RB	"ULTIMA TRANSMODAL"	r/t	TO
X3.14.26RA/RB	"ULTIMA WIDE BASE RADIAL"	r/t	TO
X3.14.27RA/RB	"ULTIMA SUPER 5 RIB"	r/t	AP
X3.14.28RA/RB	"ULTIMA RIB 20"	r/t	AP
X3.14.29RA/RB	"ULTIMA RADIAL SPECIAL 18"	r/t	AP
X3.14.30RA/RB	"ULTIMA SPREAD AXLE"	r/t	AP
X3.14.31RA/RB	"ULTIMA RADIAL DWT 22"	r/t	AP
X3.14.32RA/RB	"ULTIMA RADIAL DWT 19"	r/t	AP
X3.14.33RA/RB	"ULTIMA UNIGRIP 22"	r/t	AP
X3.14.34RA/RB	"ULTIMA DRIVE TRAC"	r/t	AP
X3.14.35RA/RB	"ULTIMA DEEP TRAC"	r/t	AP
X3.14.36RA/RB	"ULTIMA CROSSBAR 19"	r/t	AP
X3.14.37RA/RB	"ULTIMA RDA 22"	r/t	AP
X3.14.38RA/RB	"ULTIMA WINTER TRAC"	r/t	AP
X3.14.39RA/RB	"ULTIMA FLOATATION"	r/t	AP
X3.14.40RA/RB	"ULTIMA WIDE BASE LUG"	r/t	AP
X3.14.41RA/RB	"ULTIMA LUG LOGGER 24"	r/t	AP
X3.14.42RA/RB	"ULTIMA ROCK LUG"	r/t	AP
X3.14.43RA/RB	"ULTIMA MODIFIED ROCK LUG"	r/t	AP
X3.14.44RA/RB	"ULTIMA 3 RIB LOGGER"	r/t	AP
X3.14.61RA/RB	"ULTIMA RLP"	r/t	AP

GROUP 3, TRUCK & BUS: RETREADS (continued)

MICHELIN NORTH AMERICA, INC., RETREAD PROCESS

- ◆ QUALIFIED PRODUCTION POINTS: ALL MICHELIN RETREADERS THAT ARE CPQC CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-045
- ◆ QUALIFICATION EXPIRATION DATE: 7 JANUARY, 2008

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
MICHELIN PRECURE RETREAD METHOD:			
Y3.27.1RA/RB	"ZXE PRE-CURE"	r/t	AP
Y3.27.3RA/RB	"XDA2 23 AT"	d/a	DA
Y3.27.4RA/RB	"XDA2 19 AT"	d/a	DA
Y3.27.5RA/RB	"XDA+ AT"	d/a	DA
Y3.27.6RA/RB	"XT-1 AT"	t/o	TO
Y3.27.7RA/RB	"XTA-1"	t/o	TO
Y3.27.8RA/RB	"XZA"	r/t	AP
Y3.27.9RA/RB	"XZE"	r/t	AP
Y3.27.10RA/RB	"XM+S4"	m/s	AP
Y3.27.11RA/RB	"XDC 22"	d/a	DA
Y3.27.12RA/RB	"XDC 18"	d/a	DA
Y3.27.13RA/RB	"XDHT"	d/a	DA
Y3.27.14RA/RB	"XD4"	d/a	DA
Y3.27.15RA/RB	"XDN"	s/t	STC
Y3.27.16RA/RB	"XDS"	s/t	STC
Y3.27.17RA/RB	"XZY"	o/o	AP
Y3.27.18RA/RB	"XZY-1"	o/o	AP
Y3.27.19RA/RB	"XDY"	o/o	AP
Y3.27.20RA/RB	"XDY-1"	o/o	AP
Y3.27.21RA/RB	"XTE2"	t/o	TO
Y3.27.22RA/RB	"XZH"	o/o	AP
Y3.27.231RA/RB	"XZE SA"	t/o	TO
Y3.27.24RA/RB	"XDA HT"	d/a	DA
Y3.27.251RA/RB	"XDE M/S"	m/s	AP
MICHELIN MOLD-CURE RETREAD METHOD:			
Y3.27.2RA/RB	"ZXE MOLD-CURE"	r/t	AP
Y3.27.26RA/RB	"XDA2 AT"	d/a	DA
Y3.27.27RA/RB	"XT-1 AT"	t/o	TO
Y3.27.28RA/RB	"XDHT"	d/a	DA
Y3.27.29RA/RB	"XDN"	s/t	STC
Y3.27.30RA/RB	"XTA-1"	t/o	TO
Y3.27.31RA/RB	"XZA"	r/t	AP
Y3.27.32RA/RB	"XZE"	r/t	AP

GROUP 3, TRUCK & BUS: RETREADS (continued)

OLIVER RUBBER COMPANY

- ◆ QUALIFIED PRODUCTION POINTS: ALL OLIVER RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-016
- ◆ QUALIFICATION EXPIRATION DATE: 5 FEBRUARY, 2005

GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	CLASS	CODES
OLIVER PRECURE RETREAD METHOD:			
Y3.13.1RA/RB	"MEGA-DRIVE"	d/a	SS, DA, STC
Y3.13.2RA/RB	"MAXI-LUG"	d/a	SS, DA, STC
Y3.13.3RA/RB	"H.M.S. RADIAL"	d/a	SS, DA, STC
Y3.13.4RA/RB	"H.M.T. RADIAL"	d/a	SS, DA
Y3.13.5RA/RB	"ORCO TRACK"	d/a	SS, DA, STC
Y3.13.6RA/RB	"SUPER TRACTION DEEP"	d/a	SS, DA, STC
Y3.13.7RA/RB	"SIERRA"	d/a	SS, DA, STC
Y3.13.8RA/RB	"H.M.T. RADIAL DEEP"	d/a	SS, DA, STC
Y3.13.9RA/RB	"SUPER TRACK"	d/a	SS, DA, STC
Y3.13.10RA/RB	"X-BAR"	d/a	SS, DA, STC
Y3.13.11RA/RB	"SUPER TRACTION"	d/a	SS, DA, STC
Y3.13.12RA/RB	"XDT"	d/a	SS, DA, STC
Y3.13.13RA/RB	"T-BAR"	d/a	SS, DA, STC
Y3.13.14RA/RB	"ORCO PD RIB"	d/a	SS, DA, STC
Y3.13.15RA/RB	"ORCO PD DRIVE"	d/a	SS, DA, STC
Y3.13.16RA/RB	"TIOGA"	d/a	SS, DA, STC
Y3.13.17RA/RB	"TIMBER LUG"	d/a	SS, DA, STC
Y3.13.18RA/RB	"EXTRA TREAD"	d/a	SS, DA, STC
Y3.13.19RA/RB	"BLIZARD TRACK"	d/a	SS, DA, STC
Y3.13.20RA/RB	"TL-22 DRIVE"	d/a	SS, DA, STC
Y3.13.21RA/RB	"TL-26 DRIVE"	d/a	SS, DA, STC
Y3.13.22RA/RB	"ALP MILER"	d/a	SS, DA, STC
Y3.13.23RA/RB	"ALP TRACKER"	d/a	SS, DA, STC
Y3.13.24RA/RB	"SUPER SINGLE"	d/a	SS, DA, STC
Y3.13.25RA/RB	"HIGHWYA DEEP TREAD"	r/t	SS, DA, STC
Y3.13.26RA/RB	"HIGHWAY HP"	r/t	SS, AP
Y3.13.27RA/RB	"HIGHWAY RIB"	r/t	SS, AP
Y3.13.28RA/RB	"SUPER RADIAL"	r/t	SS, AP
Y3.13.29RA/RB	"SPREAD AXLE"	r/t	SS, AP
Y3.13.30RA/RB	"SSR"	r/t	SS, AP
Y3.13.31RA/RB	"MAXI-RIB"	r/t	SS, AP
Y3.13.32RA/RB	"EURO RADIAL"	r/t	SS, AP
Y3.13.33RA/RB	"HIGHWAY HIGH SPEED"	t/o	SS, TO
Y3.13.34RA/RB	"MAXI-RIB HIGH SPEED"	t/o	SS, TO
Y3.13.35RA/RB	"TL-15 RIB"	t/o	SS, TO
Y3.13.36RA/RB	"ALP TRAILER"	t/o	SS, TO
Y3.13.37RA/RB	"WASTE HAULER LUG"	o/o	SS, DA, STC
Y3.13.38RA/RB	"ALP MILER"	d/a	SS, DA, STC
Y3.13.39RA/RB	"RIB LOGGER"	o/o	SS, DA, STC
Y3.13.40RA/RB	"LUG LOGGER"	o/o	SS, DA, STC
Y3.13.41RA/RB	"D.L.L."	o/o	SS, AP
Y3.13.42RA/RB	"CUSTOM SUPER WIDE"	o/o	SS, DA, STC
Y3.13.43RA/RB	"TRACTION LUG"	o/o	SS, DA, STC
Y3.13.44RA/RB	"LO-PRO RIB"	t/o	SS, TO
Y3.13.45RA/RB	"WASTE HAULER RIB"	r/t	SS, AP
OLIVER MOLD CURE RETREAD METHOD:			
◆ MOLDCURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-034			
◆ QUALIFICATION EXPIRATION DATE: 16 JANUARY, 2007			
Y3.13.46RA/RB	" MOLD CURE"	r/t	AP

GROUP 3, TRUCK & BUS: RETREADS (continued)

TEKNOR APEX

- ◆ QUALIFIED PRODUCTION POINTS: ALL TEKNOR APEX RETREAD TIRE MANUFACTURING FACILITIES THAT ARE CPQC CERTIFIED.
- ◆ PRECURE RETREAD METHOD, TEST QUALIFICATION REFERENCE: ACTS-CATL-T1-1/98-052
- ◆ QUALIFICATION EXPIRATION DATE: 28 JANUARY, 2009

<u>GOVERNMENT ITEM NO.</u>	<u>MODEL/BRAND DESIGNATION</u>	<u>CLASS</u>	<u>CODES</u>
TEKNOR APEX PRECURE RETREAD METHOD:			
Y3.28.1RA/RB	"PRE-CURE"	r/t	AP

SPECIAL APPLICATION TIRES: LIGHT TRUCK, OFF ROAD SEVERE APPLICATION (ORSA)

BRIDGESTONE/FIRESTONE (USA) INCORPORATED

- ◆ TEST QUALIFICATION REFERENCE: FCA-ORSA-1
- ◆ QUALIFICATION EXPIRATION DATE: 1 SEPTMEBER, 2003

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
BRIDGESTONE/FIRESTONE	X.ORSA.1RA	"BRIDGESTONE DUELER A/S"	A/T

CONTINENTAL GENERAL TIRE INCORPORATED

- ◆ TEST QUALIFICATION REFERENCE: FCA-ORSA-1-94
- ◆ QUALIFICATION EXPIRATION DATE: 1 SEPTEMBER, 2003

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
GENERAL TIRE	X.ORSA.2RA/RB	"AMERI*550 AS"	A/T (rib)
GENERAL TIRE	X.ORSA.3RA/RB	"AMERI*550 TR"	A/T (lug)

THE COOPER TIRE AND RUBBER COMPANY

- ◆ TEST QUALIFICATION REFERENCE: FCA-ORSA (1996)
- ◆ QUALIFICATION EXPIRATION DATE: 1 SEPTEMBER, 2003

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
COOPER TIRE & RUBBER COMPANY	X.ORSA.5RA/RB	"DISCOVER RADIAL STT"	A/T

THE GOODYEAR TIRE & RUBBER COMPANY

- ◆ TEST QUALIFICATION REFERENCE: FCA-ORSA-2-95
- ◆ QUALIFICATION EXPIRATION DATE: 1 SEPTEMBER, 2003

MANUFACTURERS NAME	GOVERNMENT ITEM NO.	MODEL/BRAND DESIGNATION	TREAD CLAS S
GOODYEAR	X.ORSA.4RA/RB	"WORKHORSE RADIAL"	A/T

MILITARY TACTICAL RETREAD TIRES

NOTE: Military tires are qualified under SAE J2014 and specific requirements as identified by the U.S. Army TACOM at time of qualification test run

LIGHT TRUCK, TACTICAL RETREAD TIRES

HMMWV, BIAS TIRE, NSN 2610-01-171-4647

- ◆ QUALIFIED PRODUCTION POINTS: ALL RETREAD MANUFACTURING FACILITIES LISTED OR ANY FRANCHISE FACILITIES IF U.S. ARMY TACOM CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: YPG 1-EG-095-000-026
- ◆ QUALIFICATION EXPIRATION DATE: JANUARY 1, 2003
- ◆ NOT TO BE USED WITH CENTRAL TIRE INFLATION SYTEM EQUIPED VEHICLES
- ◆ TREAD DESIGN MUST BE COMPATABLE WITH ORIGINAL EQUIPMENT MANUFACTURER TIRE

QUALIFIED RETREADERS NAMES (SEE ADDRESS LIST)	MILITARY ITEM NUMBER	CODE	TREAD CLASS	SIZE
BRAYS RECAPPING SERVICES	Y.MIL2.21.1	AP	o/o/s (lug)	36X12.5X16.5
BECKER TIRE COMPANY	Y.MIL2.22.1	AP	o/o/s (lug)	36X12.5X16.5

TRUCK/TRAILER, TACTICAL RETREAD TIRES

HEMMT, RADIAL TIRE, NSN 2610-01-126-1576

- ◆ QUALIFIED PRODUCTION POINTS: ALL RETREAD MANUFACTURING FACILITIES LISTED OR ANY FRANCHISE FACILITIES IF U.S. ARMY TACOM CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: YPG 1-EG-095-000-026
- ◆ QUALIFICATION EXPIRATION DATE: JANUARY 1, 2003
- ◆ NOT TO BE USED WITH CENTRAL TIRE INFLATION SYTEM EQUIPED VEHICLES
- ◆ TREAD DESIGN MUST BE COMPATABLE WITH ORIGINAL EQUIPMENT MANUFACTURER TIRE

QUALIFIED RETREADERS NAMES (SEE ADDRESS LIST)	MILITARY ITEM NUMBER	CODE	TREAD CLASS	SIZE
BRAYS RECAPPING SERVICES	Y.MIL3.21.1	AP	o/o/s (lug)	16.00R20
BRAD RAGAN INC.	Y.MIL3.22.1	AP	o/o/s (lug)	16.00R20

M915A2 TRUCK TIRE, RADIAL, NSN 2610-01-045-3688

- ◆ QUALIFIED PRODUCTION POINTS: ALL RETREAD MANUFACTURING FACILITIES LISTED OR ANY FRANCHISE FACILITIES IF U.S. ARMY TACOM CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: YPG 1-EG-095-000-026
- ◆ QUALIFICATION EXPIRATION DATE: JANUARY 1, 2003
- ◆ NOT TO BE USED WITH CENTRAL TIRE INFLATION SYTEM EQUIPED VEHICLES
- ◆ TREAD DESIGN MUST BE COMPATABLE WITH ORIGINAL EQUIPMENT MANUFACTURER TIRE

QUALIFIED RETREADERS NAMES (SEE ADDRESS LIST)	MILITARY ITEM NUMBER	CODE	TREAD CLASS	SIZE
BANDAG INC.	Y.MIL3.15.1	AP	o/o	11.00R22.5
OLIVER RUBBER COMPANY	Y.MIL3.13.1	AP	o/o	11.00R22.5

MILITARY TACTICAL RETREAD TIRES (CONTINUED)

TRUCK/TRAILER, TACTICAL RETREAD TIRES (continued)

M870 TRAILER TIRE, RADIAL, NSN 2610-01-325-1934

- ◆ QUALIFIED PRODUCTION POINTS: ALL RETREAD MANUFACTURING FACILITIES LISTED OR ANY FRANCHISE FACILITIES IF U.S. ARMY TACOM CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: YPG 1-EG-095-000-026
- ◆ QUALIFICATION EXPIRATION DATE: JANUARY 1, 2003
- ◆ NOT TO BE USED WITH CENTRAL TIRE INFLATION SYTEM EQUIPED VEHICLES
- ◆ TREAD DESIGN MUST BE COMPATABLE WITH ORIGINAL EQUIPMENT MANUFACTURER TIRE

QUALIFIED RETREADERS NAMES (SEE ADDRESS LIST)	MILITARY ITEM NUMBER	CODE	TREAD CLASS	SIZE
BANDAG INC.	Y.MIL3.15.2	TO	o/o	10.00R15
OLIVER RUBBER COMPANY	Y.MIL3.13.2	TO	o/o	10.00R15

M916A1 TRUCK TIRE, RADIAL, NSN 2610-01-311-6853

- ◆ QUALIFIED PRODUCTION POINTS: ALL RETREAD MANUFACTURING FACILITIES LISTED OR ANY FRANCHISE FACILITIES IF U.S. ARMY TACOM CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: YPG 1-EG-095-000-026
- ◆ QUALIFICATION EXPIRATION DATE: JANUARY 1, 2003
- ◆ NOT TO BE USED WITH CENTRAL TIRE INFLATION SYTEM EQUIPED VEHICLES
- ◆ TREAD DESIGN MUST BE COMPATABLE WITH ORIGINAL EQUIPMENT MANUFACTURER TIRE

QUALIFIED RETREADERS NAMES (SEE ADDRESS LIST)	MILITARY ITEM NUMBER	CODE	TREAD CLASS	SIZE
BANDAG INC.	Y.MIL3.15.3	AP	o/o	315/80R22.5
OLIVER RUBBER COMPANY	Y.MIL3.13.3	AP	o/o	315/80R22.5

M872 TRAILER TIRE, BIAS, NSN 2610-00-060-9960

- ◆ QUALIFIED PRODUCTION POINTS: ALL RETREAD MANUFACTURING FACILITIES LISTED OR ANY FRANCHISE FACILITIES IF U.S. ARMY TACOM CERTIFIED.
- ◆ TEST QUALIFICATION REFERENCE: YPG 1-EG-095-000-026
- ◆ QUALIFICATION EXPIRATION DATE: JANUARY 1, 2003
- ◆ NOT TO BE USED WITH CENTRAL TIRE INFLATION SYTEM EQUIPED VEHICLES
- ◆ TREAD DESIGN MUST BE COMPATABLE WITH ORIGINAL EQUIPMENT MANUFACTURER TIRE

QUALIFIED RETREADERS NAMES (SEE ADDRESS LIST)	MILITARY ITEM NUMBER	CODE	TREAD CLASS	SIZE
BANDAG INC.	Y.MIL3.15.4	TO	o/o	10.00X20
OLIVER RUBBER COMPANY	Y.MIL3.13.4	TO	o/o	10.00X20

APPENDIX A: CATL NUMBERS, ADDRESSES & TELEPHONE NUMBERS

CATL ADMINISTRATOR: *Associated Consultants of Technical Services, Inc.
54527 Joseph Ronald Dr.
Macomb Township, MI 48042
TELE: (586) 677-5745
FAX: (586) 677-5746*

CATL/CTQP WEB SITE: www.CTQP.com

MANUFACTURERS, RETREADERS & BRAND OWNERS ASSIGNED CATL NUMBERS

2 - BRIDGESTONE/FIRESTONE (U.S.A.) INCORPORATED
3 - COOPER TIRE & RUBBER COMPANY
4 - DUNLOP TIRE CORPORATION
5 - CONTINENTAL GENERAL TIRE INCORPORATED
6 - THE GOODYEAR TIRE & RUBBER COMPANY
8 - KELLY-SPRINGFIELD TIRE COMPANY
9 - MICHELIN NORTH AMERICA
10 - SPECIALTY TIRE OF AMERICA INCORPORATED
12 - YOKOHAMA TIRE CORPORATION
13 - OLIVER RUBBER COMPANY
MIL 13 - OLIVER RUBBER COMPANY, MILITARY RETREAD TIRES
14 - THE GOODYEAR TIRE & RUBBER COMPANY - RETREAD DIVISION
15 - BANDAG INCORPORATED
MIL 15 - BANDAG INCORPORATED, MILITARY RETREAD TIRES
16 - TITAN TIRE CORPORATION
18 - DEAN TIRE & RUBBER COMPANY
MIL 21 - BRAYS RECAPPING SERVICE, MILITARY RETREAD TIRES
22 - TBC CORPORATION
MIL 22 - BECKER TIRE COMPANY, MILITARY RETREAD TIRES
MIL 23 - BRAD RAGAN INCORPORATED, MILITARY RETREAD TIRES
24 - ELDORADO TIRE
25 - PEP BOYS
26 - BANDAMATIC SYSTEM INCORPORATED
27 - MICHELIN NORTH AMERICA: RETREADS
28 - TEKNOR APEX

APPENDIX A (continued)
ADDRESSES & TELEPHONE NUMBERS
MANUFACTURERS, RETREADERS & BRAND OWNERS

<p>BANDAG INCORPORATED Route 2, Box 116 Buchanan, VA 24066 CATL Inquiries: (540) 473-2820</p>	<p>THE GOODYEAR TIRE & RUBBER COMPANY 1144 East Market Street Akron, OH 44316-0001 CATL Inquiries: (330) 796-2884</p>
<p>BANDAMATIC SYSTEM INCORPORATED 1719 Meyer Road Houston, TX 77073 CATL Inquiries: (281) 821-6009</p>	<p>THE GOODYEAR TIRE & RUBBER COMPANY: RETREAD DIVISION 1144 East Market Street Akron, OH 44316-0001 CATL Inquiries: (330) 796-2884</p>
<p>BRIDGESTONE/FIRESTONE (U.S.A.) INC. 50 Century Boulevard Nashville, TN 37214-3672 CATL Inquiries: (615) 391-0088</p>	<p>HERCULES TIRE & RUBBER COMPANY 1300 Morrical Blvd. Findlay, OH 45840-1699 CATL Inquiries: (419) 425-6400</p>
<p>CONTINENTAL GENERAL TIRE INC. 1800 Continental Blvd. Charlotte, NC 28273 CATL Inquiries: (704) 583-8837</p>	<p>KELLY-SPRINGFIELD TIRE COMPANY 12501 Willowbrook Road SE Cumberland, MD 21502-2599 CATL Inquiries: (301) 777-6237</p>
<p>COOPER TIRE & RUBBER COMPANY 701 Lima Ave. Findlay, Ohio 45840-2315 CATL Inquiries: (419) 423-1321</p>	<p>LARAMIE DIVISION OF TREADWAYS CORP. (Note – Tires manufactured by Kelly-Springfield Tire Co.) 1120 Welsh Road Suite 120 North Wales, PA 19454 CATL Inquiries: (610) 275-6480</p>
<p>DEAN TIRE & RUBBER COMPANY 2103 Production Drive Blue Grass Industrial Park P.O. Box 99521 Louisville, KY 40269 CATL Inquiries: (502) 491-1450</p>	<p>MICHELIN NORTH AMERICA (Includes Uniroyal and Goodrich brands) Government Sales One Parkway South Greenville, SC 29615-5022 CATL Inquiries: -Passenger Car & Light Truck Tires: 864-458-4665 -Truck/Bus and all Military Tactical Tires: 864-458-5069</p>
<p>DEL-NAT TIRES (Note – Tires manufactured by Cooper Tire & Rubber Co.) 2365 Texas Drive, Memphis, TN 38106-8714 CATL Inquiries: (901) 775-8111</p>	<p>OLIVER RUBBER COMPANY 165 Dougherty. Athens, Georgia 30603 CATL Inquiries: (706) 354-0810</p>
<p>DUNLOP TIRE CORPORATION 10 Sheridan Drive Tonawanda, N.Y. 14150-7777 CATL Inquiries: (716) 879-8405</p>	<p>PEP BOYS 3111 W. Allegheny Ave. Philadelphia, PA 19132 CATL Inquiries: (215) 430-9047</p>
<p>ELDORADO TIRE 1120 East Long Lake Road Troy, Michigan 48098-4960 CATL Inquiries: (248) 528-3020</p>	<p>RELIABLE TIRE CO., SPARTAN TIRES (Note – Tires manufactured by Kelly-Springfield Tire Co.) 1115 Chestnut St., Camden, NJ 08103 CATL Inquiries: (609) 365-6500</p>
<p>GANIN/REYNOLDS TIRE CO. (Note – Tires manufactured by Kelly-Springfield Tire Co.) CATL Inquiries: (718) 633-6524</p>	<p>SPECIALTY TIRES OF AMERICA INC. 1600 Washington St. P.O. Box 749 Indiana, PA 15701-0749 CATL Inquiries: (724) 349-9010</p>

APPENDIX A (continued)
ADDRESSES & TELEPHONE NUMBERS
MANUFACTURERS, RETREADERS & BRAND OWNERS

SUMMIT TIRE & BATTERY CORP.

(Note- Tires manufactured by **Kelly-Springfield Tire Co.**)
CATL Inquiries: (813) 654-0467

TBC CORPORATION

(Note - Tires manufactured by **Kelly-Springfield Tire Co.** and **Cooper Tire & Rubber Co.**)
4770 Hickory Hill Road,
Memphis, TN 38141
CATL Inquiries: (901) 363-8030

TITAN TIRE CORP.

2345 E. Market St., P.O. Box 1616
Des Moines, IA 50306-1616
CATL Inquiries: (217) 221-4400

UNIVERSAL COOPERATIVES, INC.

(Note – Tires manufactured by **Kelly-Springfield Tire Co.**)
CATL Inquiries: (651) 239-1157

YOKOHAMA TIRE CORPORATION

601 S. Acacia Avenue
Fullerton, CA 92631
CATL Inquiries: (800) 423-4544

APPENDIX A (continued)

RETREADERS: MILITARY TACTICAL TIRES

BANDAG INCORPORATED

P.O. BOX 1039
BUCHANON, VA 24066-5000

CATL INQUIRIES: (703) 473-2620

BECKER TIRE COMPANY

904 WASHINGTON
GREAT BEND, KANSAS 67530

CATL INQUIRIES: (316) 793-5414 OR 1-800-657-6001

BRAD RAGAN INCORPORATED

MAJIC INDUSTRIAL PARK
P.O. BOX 209
DELANO, PA 18220

CATL INQUIRIES: (717) 467-2711

BRAYS RECAPPING SERVICES

1219 N. SOUTH ST.
P.O. BOX 804
MT. AIRY, NC 27030-2855

CATL INQUIRIES: (336) 786-6182, POC: DEAN BRAY III OR PAT LYON

OLIVER RUBBER COMPANY

165 DOUGHERTY.
ATHENS, GA 30603

CATL INQUIRIES: (706) 354-0810